

FIVE-YEAR INDEX  
to the  
FLORIDA FIELD NATURALIST

Volumes 16-20  
1988-1992

Compiled by ROBERT W. LOFTIN  
*Department of History and Philosophy*  
*University of North Florida*  
*4567 St. Johns Bluff Rd.*  
*Jacksonville, Florida 32224-2645*

PART ONE, AUTHOR INDEX

The Field Observations section of the journal is not indexed.

A

- Alexander, Laurence L., Patterns of mortality among Common Loons wintering in the northeastern Gulf of Mexico, *19*: 73-79.  
Anderson, Bruce H., see Walter Kingsley Taylor et al.

B

- Baker, Jocelyn L., FOS records committee report, 1987, *18*: 67-68; FOS records committee report, 1988, *19*: 56-57; FOS records committee report, 1989, *19*: 88-89.  
Bancroft, G. Thomas, see Reed Bowman and.  
Belden, Robert C., see David S. Maehr et al.  
Bennetts, Robert E., and Elaine L. Caton, An observed incident of rat snake predation on Snail Kite (*Rostrhamus sociabilis*) chicks in Florida, *16*: 14-16; see Peter Frederick et al.  
Bensen, Keith J., Dynamics of an American Swallow-tailed Kite communal roost at Corkscrew Swamp sanctuary, Florida, *20*: 65-71.  
Blackshaw, Susan R., and Peter Polisse, Harlan's Hawk over-winters in St. Lucie County, Florida, *18*: 10-12.  
Bolen, Jane Sprangers, Randall Breitwisch, Joan A. Browder, Daniel M. Cary, Mary V. Cummings, Sheila Gaby, Susan Hilsenbeck, James A. Kushlan, Peter G. Merritt, and James Wiley, In

- Memoriam: Oscar T. Owre, a teacher of ornithology, *19*: 122-125.  
Bowman, Reed, and G. Thomas Bancroft, Least Bittern nesting on mangrove keys in Florida Bay, *17*: 43-46.  
Bradbury, Robert C., First Florida record for Variegated Flycatcher (*Empidonomus varius*) at Garden Key, Dry Tortugas, *20*: 42-44.  
Breinerger, David R., A new population estimate for the Florida Scrub Jay on Merritt Island National Wildlife Refuge, *17*: 25-31; Avifauna of hammocks and swamps on John F. Kennedy Space Center, *18*: 21-32; Birds of swale marshes on John F. Kennedy space center, *20*: 36-41; see Rebecca B. Smith and; see Thomas W. Dreschel et al.  
Breitwisch, Randall, see Jane Sprangers Bolen et al.  
Breitwisch, Randall, and Natasha Gottlieb, Ontogeny of foraging and other behavior in fledgling Northern Mockingbirds, *20*: 89-96.  
Brewer, Richard, Successful nesting of Louisiana Waterthrush in Woodyard Hammock, Leon County, Florida, *20*: 77-78.  
Brooks, Jane Murray, First record of the Atlantic Puffin for Florida, *16*: 10-12.  
Browder, Joan A., see Jane Sprangers Bolen et al.  
Browning, M. Ralph, see P. William Smith and.  
Buden, Donald W., Effect of time of day on detectability of land birds on Rum Cay, Bahama Islands, *20*: 108-109.
- C
- Carrington, Mary, see Wayne Hoffman et al.  
Cary, Daniel M., see Jane Sprangers Bolen et al.  
Caton, Elaine L., see Robert E. Bennetts and.  
Chicardi, E. J., Z. A. Prusak, and Walter Kingsley Taylor, Species contents in pellets of the Barn Owl from a central Florida wetland, *18*: 69-73.  
Clarke, Nicholas V., see Robert L. Norton and.  
Clench, Mary H., Another case of Blue Jay kleptoparasitism, *19*: 109-110.

- Coleman, Caroline H., Florida Ornithological Society, Inc. Treasurer's Report 1987, *16*: 103-104.
- Cox, James, The influence of forest size on transient and resident bird species occupying maritime hammocks of northeastern Florida, *16*: 25-34; A cross-tabulation of land-cover types by conservation lands in Florida, *20*: 72-75.
- Crawford, Robert L., Paired American Goldfinches from Jefferson County, Florida in June, *16*: 9-10.
- Cummings, Mary V., see Jane Sprangers Bolen et al.
- Curnutt, John L., Breeding bird use of a mature stand of Brazilian pepper, *17*: 53-60; Nesting of Black-shouldered Kite (*Elanus caeruleus*) in Everglades National Park, *17*: 77-79.
- Curnutt, John L., and Wayne R. Hoffman, The recent distribution of Black-shouldered Kites in Florida, *20*: 1-7.
- Curry, Robert L., Review of Voices of all the mockingbirds, thrashers, & their allies, *16*: 101-102.
- D
- Delany, Michael F., Review of America's outdoor wonders: state parks and sanctuaries, *16*: 76.
- Delany, Michael F., and Allan R. Woodward, Great Blue Herons trapped in algae, *16*: 96.
- Delany, Michael F., Allan R. Woodward, and Irvine H. Kochel, Nuisance alligator food habits in Florida, *16*: 90-96.
- Dinsmore, James J., In memoriam: Ralph W. Schreiber, *18*: 97-99.
- Dodd, C. Kenneth, Jr., Fluorescent powder is only partially successful in tracking movements of the six-lined racerunner (*Cnemidophorus sexlineatus*), *20*: 8-14.
- Dowling, D. Y., see John B. Wooding et al.
- Dowling, Helen P., FOS records committee report, 1985, *16*: 77-79; FOS records committee report, 1986, *17*: 51-52.
- Dreschel, Thomas W., Rebecca B. Smith, and David R. Breiningner, Florida Scrub Jay mortality on roadsides, *18*: 82-83.
- Duncan, Charles D., Review of Florida bird records in American Birds and Audubon Field Notes 1947-1989, *20*: 48-49.
- Duncan, Robert A., The Olive-sided Flycatcher, a rare but regular fall migrant in extreme northwest Florida, *16*: 72-74; see Donald M. Ware and.
- Dunham, Martha L., see Kevin J. McGowan and.
- Dwyer, Nancy, see Peter Frederick et al.
- F
- Fellers, Paul J., Recent occurrences of "storm waifs" in Polk County, Florida, *16*: 7; First interior Florida record of the Common Eider, *17*: 20.
- Folk, Martin J., Cooperative hunting of avian prey by a pair of Bald Eagles, *20*: 110-112.
- Folk, Martin J., and Willard D. Klimstra, Urbanization and domestication of the key deer (*Odocoileus virginianus clavium*), *19*: 1-9; Antlers of white-tailed deer (*Odocoileus virginianus*) from insular and mainland Florida, *19*: 97-105.
- Forrester, Donald J., A synopsis of disease conditions found in Wild Turkeys (*Meleagris gallopavo* L.) from Florida, *20*: 29-35; see Sam R. Telford, Jr. and.
- Frank, Philip A., and Karen R. Lips, Gopher tortoise burrow use by long-tailed weasels and spotted skunks, *17*: 20-22.
- Frankenberger, William B., see David S. Maehr et al.
- Franz, Richard, see Cheri A. Jones and.
- Frederick, Peter C., Review of Trends in wading bird nesting populations in Florida, 1976-1978 and 1986-1989: final performance report, *20*: 80.
- Frederick, Peter, Nancy Dwyer, Susan Fitzgerald, and Robert E. Bennetts, Relative abundance and habitat preference of Least Bitterns (*Ixobrychus exilis*) in the Everglades, *18*: 1-9.
- Fitzgerald, Susan, see Peter Frederick et al.
- G
- Gaby, Sheila, see Jane Sprangers Bolen et al.
- Gore, Jeffery A., Distribution and abundance of nesting Least Terns and Black Skimmers in northwest Florida, *19*: 65-72.
- Gottlieb, Natasha, see Randall Breitwisch and.

## H

- Hailman, Jack P., Blue Jay mimics Osprey, *18*: 81-82.
- Hardisky, Thomas S., see John B. Wooding and.
- Hardy, John William, The Fish Crow (*Corvus ossifragus*) and its Mexican relatives: vocal clues to evolutionary relationships?, *18*: 74-80.
- Harris, Larry D., see David H. Hirth et al.
- Harte, John, Review of The birder's handbook: a field guide to the natural history of North American birds, *18*: 58-59.
- Higuchi, Hiroyoshi, Bait-fishing by Green-backed Herons in south Florida, *16*: 8-9.
- Hilsenbeck, Susan, see Jane Sprangers Bolen et al.
- Hirth, David H., Larry D. Harris, and Reed F. Noss, Avian community dynamics in a peninsular Florida longleaf pine forest, *19*: 33-48.
- Hoffman, Wayne, see P. William Smith et al.; see John L. Curnutt and.
- Hoffman, Wayne, and Glen E. Woolfenden, A specimen of the Asiatic Marbled Murrelet from Florida, *16*: 37-38.
- Hoffman, Wayne, P. William Smith, and Pat Willis, A record of the European Turtle-Dove in the Florida Keys, *18*: 88-90.
- Hoffman, Wayne, Richard Sawicki, Cynthia Thompson, and Mary Carrington, Golden-crowned Sparrow appears in Florida, *19*: 19-21.
- Hovis, Julie A., see Douglas E. Runde et al.
- Hovis, Julie A., and Mark S. Robson, Breeding status and distribution of the Least Tern in the Florida Keys, *17*: 61-66.

## J

- Jackson, Dale R., Multiple clutches and nesting behavior in the Gulf Coast box turtle, *19*: 14-16.
- James, Frances C., In memoriam: Henry M. Stevenson, 1914-1991, *20*: 21-22.
- Jansen, Deborah K., see David S. Maehr et al.
- Jelks, Howard L., see Mark D. Maffei and.
- Johnston, David W., An overlooked early Florida oologist and ornithologist, Joseph E. Gould, *19*: 110-116.

Jones, Cheri A., and Richard Franz, Use of gopher tortoise burrows by Florida Mice (*Podomys floridanus*) in Putnam County, Florida, *18*: 45-51.

## K

- Kirkpatrick, Sean J., Review of Hawks in flight, *17*: 23.
- Klimstra, Willard D., see Martin J. Folk and.
- Kochel, Irvine H., see Michael F. Delany et al.
- Kushlan, James A., see Jane Sprangers Bolen et al.

## L

- Land, E. Darrell, see David S. Maehr et al.; see David S. Maehr et al.; see David S. Maehr et. al.; see David S. Maehr et al.
- Langridge, Howard, Courtship feeding behavior in the Mangrove Cuckoo (*Coccyzus minor*), *18*: 55-56, see Paul W. Sykes, Jr. and.
- Layne, James N., and Douglas A. Wassmer, Records of the panther in Highlands County, Florida, *16*: 70-72.
- Layne, James N., see David S. Maehr et al.
- Leonard, David L., Monthly variation in a Loggerhead Shrike cache in central Florida, *20*: 104-107.
- Lips, Karen R., see Philip A. Frank and.
- Loftin, Robert W., Five-year index to the Florida Field Naturalist, volumes 11-15, 1983-1987, *16*: 40-56; St. Augustine Christmas bird count 1988, *18*: 56-57; Blue Jay imitates hawk for kleptoparasitism, *19*: 55; Use of nest boxes by the Florida Kestrel *20*: 57-64.
- Lohrer, Fred E., Florida birds in the periodical literature, 1985-1986, *16*: 16-21; Florida birds in the periodical literature, 1985-1987, *16*: 97-100; Florida birds in the periodical literature, 1987-88, *17*: 46-48; Florida birds in the periodical literature, 1987-1989, *18*: 38-43.

## M

- MacLaren, Patricia A., and Douglas E. Runde, Unusual cause of mortality for a North Florida coyote (*Canis latrans*), *19*: 54.

- Maehr, David S., Review of Bears of the world, *17*: 84; see Jayde C. Roof and; see Timothy W. Regan and.
- Maehr, David S., James L. Schortemeyer, E. Darrell Land, and Deborah K. Jansen, An unusual nest site for Purple Martins, *16*: 35-37.
- Maehr, David S., James N. Layne, E. Darrell Land, J. Walter McCown, and Jayde Roof, Long distance movements of a Florida black bear, *16*: 1-6.
- Maehr, David S., Jayde C. Roof, E. Darrell Land, J. Walter McCown, and Roy T. McBride, Home range characteristics of a panther in south central Florida, *20*: 97-103.
- Maehr, David S., Jayde C. Roof, E. Darrell Land, J. Walter McCown, Robert C. Belden, and William B. Frankenberger, Fates of wild hogs released into occupied Florida panther home ranges, *17*: 42-43.
- Maehr, David S., and Jeffrey Q. Smith, Bird casualties at a central Florida power plant: 1982-1986, *16*: 57-64.
- Maffei, Mark D., see Paul W. Sykes, Jr., et al.
- Maffei, Mark D., and Howard L. Jelks, The first successful nesting of Wood Storks on Arthur R. Marshall Loxahatchee National Wildlife Refuge, *19*: 12-14.
- Mazzotti, Frank J. see Mark S. Robson et al.
- McBride, Roy T., see David S. Maehr et al.
- McCown, J. Walter, see David S. Maehr et al.; see David S. Maehr et al.; see David S. Maehr et al.
- McGowan, Kevin J., and Martha L. Dunham, Intense aggression by male Boat-tailed Grackles, *16*: 74-75.
- McKenzie, Paul M., and Robert E. Noble, Sight records for Connecticut Warbler (*Oporornis agilis*) and Yellow-throated Vireo (*Vireo flavifrons*) in Puerto Rico, *17*: 69-72.
- McNair, Douglas B., Agonistic behavior of Ruddy Turnstones toward Short-billed Dowitchers foraging for horseshoe crab eggs, *19*: 83-84; Copulation in the Mangrove Cuckoo (*Coccyzus minor*), *19*: 84-85.
- Meeder, John F., Review of Ecosystems of Florida, *20*: 112-113.
- Meier, Albert J., and Robert E. Noble, Notes on the natural history of *Anolis desechensis*, *19*: 17-18.
- Merritt, Peter G., Review of Voices of the wrens, *16*: 100; Review of Ecology and development-related habitat requirements of the Florida Scrub Jay (*Aphelocoma coerulescens coerulescens*), *20*: 23-24; see Jane Sprangers Bolen et al.
- Merritt, Victoria L., Review of The Audubon ark: a history of the National Audubon Society, *19*: 86-87.
- Moler, Paul E., Correction of the type locality of the Gulf Hammock dwarf siren, *Pseudobranchius striatus lustricolus*, *16*: 12-13.
- Morrison, Ken, Review of On watching birds, *17*: 75-76.
- Muschlitz, Barbara P., Review of The naturalist's guide to Cedar Key, Florida, *16*: 77.

## N

- Nesbitt, Stephen A., Unusual peregrinations of a Sandhill Crane banded in Florida, *18*: 36-37; a Lesser Sandhill Crane in Florida, *20*: 15-17.
- Neville, Bruce D., Review of Birds of south Florida, an interpretive guide, *16*: 21-22; Summary of the 1987 fall meeting, *16*: 24; Summary of the 1988 spring meeting, *16*: 80; Summary of the 1988 fall meeting, *17*: 23-24; Summary of the 1989 Spring meeting, *17*: 76; Summary of the 1989 fall meeting, *18*: 20; Summary of the 1990 Spring meeting, *18*: 67; Summary of the 1990 fall meeting, *19*: 31; Summary of the 1991 spring meeting, *19*: 87.
- Noble, Robert E., see Paul M. McKenzie and; see Albert J. Meier and.
- Norton, Robert L., Extra-egg clutches and interspecific egg-dumping of the Roseate Tern (*Sterna dougallii*) in the West Indies, *16*: 67-70.
- Norton, Robert L. and Nicholas V. Clarke, Additions to the birds of the Turks and Caicos Islands, *17*: 32-39; Notes on the rock iguana (*Cyclura carinata*) of the Caicos Islands, *20*: 45-46.
- Noss, Reed F., see David H. Hirth et al.

## O

- O'Meara, Timothy E., Bill deformity in a Ring-billed Gull, *16*: 13-14.  
 Owre, Oscar T., Review of The herons handbook, *16*: 23-24.

## P

- Palmer, Tom, First nesting record of Black-bellied Whistling-Duck in central Florida, *19*: 79-81; Population changes in a long-term Northern Oriole winter roost in central Florida, *20*: 18-20; Review of A social history of the American Alligator, *20*: 79.  
 Parrott, Teresa, see Mark S. Robson et al.  
 Polisse, Peter, see Susan R. Blackshaw and.  
 Post, William, First Florida specimens of the Shiny Cowbird, *20*: 17-18; Wood Stork mortality from hurricane Hugo, *20*: 107.  
 Prusak, Z. A., see E. J. Chicardi et al.

## R

- Regan, Timothy W., and David S. Maehr, Melanistic bobcats in Florida, *18*: 84-87.  
 Renken, Rochelle B., see Douglas E. Runde et al.  
 Richardson, Morgan L., see John B. Wooding et al.  
 Robertson, William B., Jr., see P. William Smith et al., see Glen E. Woolfenden and.  
 Robson, Mark S., Range expansion of beavers in Florida, *17*: 72-74; see Julie A. Hovis and.  
 Robson, Mark S., Frank J. Mazzotti, and Teresa Parrott, Recent evidence of the mastiff bat in southern Florida, *17*: 81-82.  
 Rodgers, James A., Jr., Review of White Egret, *16*: 39; Review of Extinct birds, *17*: 49-51; Review of A birdsong tutor for visually handicapped individuals, *17*: 84-85; Commentary, *17*: 86-87; Information for contributors to the Florida Field Naturalist, *18*: 16-18.  
 Rodgers, Samuel P., Jr., Predation of domestic fowl eggs by Red-bellied Woodpeckers, *18*: 57-58.  
 Roof, Jayde C., and David S. Maehr, Sign surveys for Florida panthers on

peripheral areas of their known range, *16*: 81-85.

- Roof, Jayde, see David S. Maehr et al.; see David S. Maehr et al; see David S. Maehr et al.  
 Runde, Douglas, E., see Patricia A. Mac-Lauren and.  
 Runde, Douglas E., Peter D. Southall, Julie A. Hovis, Rick Sullivan, and Rochelle B. Renken, Recent records and survey methods for the Black Rail in Florida, *18*: 33-35.

## S

- Sawicki, Richard, see Wayne Hoffman et al.  
 Schortemeyer, James L., see David S. Maehr et al.  
 Shea, Stephen M. see John B. Wooding et al.  
 "Shortmeyer" (sic), James L., see Schortemeyer, James L.  
 Smith, Jeffrey Q., see David S. Maehr and.  
 Smith, P. William, see Wayne Hoffman et al.  
 Smith, P. William, and Susan A. Smith, A Zenaida Dove in Florida, with comments on the species and its appearance here, *17*: 67-69.  
 Smith, P. William, Susan A. Smith, and Wayne Hoffman, A Yellow-faced Grassquit in Florida, with comments on importation of this and related species, *19*: 21-24.  
 Smith, P. William, and M. Ralph Browning, An erroneous specimen record of the Bahama Swallow from Florida, *17*: 40-41.  
 Smith, P. William, Willam B. Robertson, Jr., and Henry M. Stevenson, West Indian Cave Swallows nesting in Florida, with comments on the taxonomy of *Hirundo fulva*, *16*: 86-90.  
 Smith, Rebecca B., and David R. Breininger, Northern breeding range extension for the Roseate Spoonbill in Florida, *16*: 65-67.  
 Smith, Rebecca B., see Thomas W. Dreschel et al.  
 Smith, Susan A., see P. William Smith and; see P. William Smith et al.  
 Southall, Peter D., see Douglas E. Runde, et al.  
 Stedman, Annette, see Stanley Stedman and.

- Stedman, Stanley, and Annette Stedman, Feeding association between Bonaparte's Gulls and Hooded Mergansers, *17*: 19-20.
- Steinberg, Sue, Review of A birdwatcher's cookbook, *17*: 49.
- Stevenson, Henry M., Corrigendum, *16*: 39; "Checklist of Florida's birds": corrigenda, addenda, and emendations, *16*: 86; An orphaned young Ruddy Duck in north Florida, *17*: 82-83; Incorrect identification of a Red-throated Loon as a Pacific Loon based on bill shape, *19*: 107-109; see P. William Smith et al.; see Walter Kingsley Taylor et al.
- Stevenson, Henry M., and Noel O. Wamer, St. Marks Christmas bird count, 1976, *19*: 81-82.
- Sullivan, Rick, see Douglas E. Runde et al.
- Sunquist, Mel E., Comparison of spatial and temporal activity of red foxes and gray foxes in north-central Florida, *17*: 11-18.
- Sykes, Paul W., Jr., Ann Y. Weinrich, and Mark Maffei, First verified sight record of Cassin's Kingbird (*Tyrannus vociferans*) for the southeastern United States, *17*: 79-81.
- Sykes, Paul W., Jr., and Howard P. Langridge, Banded Brown Pelicans in southeastern Florida, *19*: 55-56.
- T
- Taylor, Walter Kingsley, see E. J. Chicardi et al.
- Taylor, Walter Kingsley, Bruce H. Anderson, and Henry M. Stevenson, Breeding range expansions of the Indigo Bunting, Painted Bunting, and Blue Grosbeak in Florida with new records for Seminole County, *17*: 1-10 and erratum *18*: 37.
- Telford, Sam R., Jr., and Donald J. Forrester, Piroplasmis of white-tailed deer (*Odocoileus virginianus*) in Florida, *19*: 49-51.
- Thompson, Cynthia, see Wayne Hoffman et al.
- Toland, Brian, Use of power poles for nesting by Red-tailed Hawks in south-central Florida, *18*: 52-55; An unusual nest site of the Florida Sandhill Crane in southeastern Florida, *19*: 10-12; Successful nesting by Reddish Egrets at Oslo

Island, Indian River county, Florida, *19*: 51-53; Great Horned Owl predation of Atlantic loggerhead turtle hatchlings, *19*: 117-119.

## W

- Wamer, Noel O., see Henry M. Stevenson and.
- Ware, Donald M., and Robert A. Duncan, First record of the Eastern Phoebe nesting in Florida, *17*: 22.
- "Wasser" (sic), Douglas A., see Wassmer, Douglas A.
- Wassmer, Douglas A., see James N. Layne and.
- Weinrich, Ann Y., see Paul W. Sykes Jr., et al.
- Wiley, James, see Jane Sprangers Bolen et al.
- Willimont, Lori A., A case of competition between European Starlings and West Indian Woodpeckers on Abaco, Bahamas, *18*: 14-15.
- Willis, Pat, see Wayne Hoffman et al.
- Wooding, John B., and Thomas S. Hardisky, Coyote distribution in Florida, *18*: 12-14.
- Wooding, John B., Stephen M. Shea, Morgan L. Richardson, and D. Y. Dowling, Movements of a female black bear in northwestern Florida, *20*: 46-48.
- Woodward, Allan R., see Michael F. Delany et al.; see Michael F. Delany and.
- Woolfenden, Glen E., see Wayne Hoffman and.
- Woolfenden, Glen E., and William B. Robertson, Jr., A banded Red Knot seen at the Dry Tortugas, *19*: 106-107.

## Y

- Yosef, Reuven, Loggerhead Shrikes eat crayfish, *20*: 75-76.

## PART TWO, LOCATION INDEX

References to other publications are omitted.

## A

- Alachua Co., *16*: 90-96, 96; *17*: 1-10, 73; *18*: 12-14, 36-37; *19*: 49-51, 120; *20*: 15-17, 32, 110-112.

## B

- Bahama Islands,  
 Abaco 18: 14-15.  
 Andros 17: 67.  
 Rum Cay 20: 108-109.  
 Baker Co., 17: 73.  
 Bay Co., 17: 73; 18: 12-14; 19: 57, 65-72, 89;  
 20: 30, 46-48.  
 Bradford Co., 17: 73; 18: 12-14.  
 Brevard Co., 16: 65-67, 78; 17: 1-10, 25-31,  
 52, 72; 18: 21-32, 33-35, 68, 82-83, 89,  
 120; 20: 36-41.  
 Broward Co., 16: 8-9, 11, 78, 79; 17: 52; 18:  
 1-9, 12-14, 68, 84-87; 19: 57, 89, 97-105,  
 120, 121; 20: 1-7.

## C

- Caicos Islands (West Indies), 20: 45-46.  
 Calhoun Co., 17: 52, 73; 18: 12-14; 20: 46-48.  
 Charlotte Co., 16: 1-6; 19: 110-116.  
 Citrus Co., 16: 4, 57-64, 90-96; 17: 1-10; 18:  
 12-14; 19: 49-51; 20: 32, 33.  
 Clay Co., 17: 1-10; 18: 12-14; 20: 57-64.  
 Collier Co., 16: 1-6, 35-37, 81-85; 17: 1-10,  
 42-43; 18: 12-14; 19: 49-51, 89, 106, 120;  
 20: 32, 65-71.  
 Columbia Co., 17: 73; 18: 12-14; 19: 110-116;  
 20: 32.  
 Cuba, 17: 67.

## D

- Dade Co., 16: 8, 14-16, 39, 78, 86-90; 17: 52,  
 53-60, 77-79, 81-82; 18: 1-9, 55-56, 68, 84-  
 87; 19: 21-24, 49-51, 57, 89, 97-105, 120,  
 121; 20: 1-7, 89-96.  
 De Soto Co., 19: 110-116.  
 Dixie Co., 17: 1-10, 73; 18: 12-14, 33-35.  
 Duval Co., 16: 25-34, 79, 90-96; 17: 1-10; 19:  
 49-51; 20: 32, 33.

## E

- Escambia Co., 16: 4, 72-74, 78; 17: 1-10, 73;  
 18: 12-14; 19: 57, 65-72, 120.

## F

- Flagler Co., 18: 12-14; 20: 32.  
 Florida (entire state), 20: 72-75.  
 Franklin Co., 16: 78; 17: 1-10, 73; 18: 12-14,  
 33-35, 68; 19: 57, 65-72, 73-79, 83-84, 89,  
 120.

## G

- Gadsden Co., 17: 1, 73; 18: 12-14; 19: 14-16;  
 20: 30.  
 Georgia, 19: 116.  
 Gilchrist Co., 17: 1-10, 73; 18: 12-14.  
 Glades Co., 16: 1-6, 81-85; 18: 12-14, 84-87;  
 20: 32, 33, 97-103.  
 Gulf Co., 17: 73; 18: 12-14; 19: 65-72; 20: 46-  
 48.

## H

- Hamilton Co., 17: 1-10, 73; 18: 12-14; 20: 32.  
 Hardee Co., 19: 79-81, 110-116, 120.  
 Hendry Co., 18: 12-14; 19: 89; 20: 32.  
 Hernando Co., 16: 4; 19: 33-48.  
 Highlands Co., 16: 1-6, 70-72; 17: 20-22; 20:  
 75-76, 97-103.  
 Hillsborough Co., 16: 65, 74-75; 17: 1-10; 18:  
 12-14.  
 Holmes Co., 17: 73; 18: 12-14.

## I

- Indian River Co., 18: 12-14; 19: 10-12, 51-53,  
 117-119.

## J

- Jackson Co., 16: 73; 17: 1-10, 73; 18: 12-14;  
 19: 110-116.  
 Japan, 16: 8, 39.  
 Jefferson Co., 16: 9-10; 17: 73; 18: 12-14.

## L

- Lafayette Co., 17: 73; 18: 12-14.  
 Lake Co., 16: 90-96; 18: 12-14; 19: 110-116;  
 20: 32.  
 Lee Co., 16: 1-6; 19: 110-116.  
 Leon Co., 16: 78; 17: 1-10, 41, 73, 82-83; 18:  
 12-14; 19: 14-16, 54, 57, 65-72, 107-109;  
 20: 33, 77-78.  
 Levy Co., 16: 12-13, 13-14; 17: 1-10; 18: 12-  
 14; 19: 49-51, 57, 73-79, 120; 20: 32.  
 Liberty Co., 17: 73; 18: 12-14; 20: 30.

## M

- Madison Co., 17: 73; 18: 12-14; 20: 32.  
 Manatee Co., 19: 57, 110-116.  
 Marion Co., 16: 90-96; 17: 1-10; 18: 12-14,  
 121.  
 Martin Co., 16: 10-12; 18: 68, 84-87.  
 Maryland, 18: 36-37.  
 Mexico, 18: 74-80.

Michigan, 18: 36-37.

Monroe Co., 16: 65-67, 78, 79; 17: 1-10, 40, 43-46, 53-60, 61-66, 67-69, 77-79; 18: 68, 88-90; 19: 1-9, 19-21, 49-51, 57, 84-85, 89, 97-105, 106-107, 108, 120, 121; 20: 42-44.

## N

Nassau Co., 16: 25-34; 17: 1-10, 73; 18: 12-14.

New Jersey, 18: 36-37; 19: 106-107.

North Carolina, 19: 56; 20: 17.

## O

Ocala National Forest, 17: 25.

Orange Co., 17: 1-10, 52; 18: 69-73; 20: 33, 104-107.

Oregon, 17: 68.

Okaloosa Co., 17: 22-23, 73; 18: 12-14; 19: 65-72, 120.

Okeechobee Co., 18: 12-14; 20: 32.

Oklahoma, 20: 17.

Ontario, 18: 36-37.

Osceola Co., 17: 1-10, 52; 18: 12-14; 20: 32.

## P

Palm Beach Co., 16: 78; 17: 1-10, 41, 52, 79-81; 18: 68, 81-82, 84-87; 19: 12-14, 55-56, 57, 79, 89, 97-105, 108, 120, 121; 20: 1-7.

Pasco Co., 16: 4; 17: 2; 20: 32.

Patagonia, 19: 106-107.

Pinellas Co., 16: 37-38, 78, 79; 17: 1-10, 40-41, 52; 18: 68; 19: 56, 57, 108.

Polk Co., 16: 7, 79; 17: 1-10, 20, 52; 18: 12-14, 52-55, 84-87; 19: 79, 110-116, 121; 20: 18-20.

Puerto Rico, 16: 67-70; 17: 69-72; 19: 17-18.

Putnam Co., 17: 1-10, 11-18; 18: 12-14, 45-51; 20: 8-14, 32, 57-64.

## S

St. Johns Co., 16: 90-96; 17: 1-10; 18: 56-57; 20: 32.

St. Lucie Co., 16: 79; 18: 10-12; 19: 89; 20: 17-18.

Santa Rosa Co., 16: 72-74; 17: 1-10, 73; 18: 12-14; 19: 57, 65-72.

Sarasota Co., 17: 19-20; 18: 68; 19: 57, 79.

Seminole Co., 17: 1-10, 72; 18: 12-14.

South Carolina, 18: 57-58; 20: 17, 107.

Sumter Co., 17: 1-10; 18: 12-14; 20: 32.

Suwanee Co., 17: 1-10, 73; 18: 12-14.

## T

Taylor Co., 17: 73; 18: 12-14, 33-35; 19: 73-79; 20: 32.

Texas, 19: 109-110; 20: 6, 17.

Trinidad, 17: 45.

Turks and Caicos Islands, 17: 32-39; 20: 45-46.

## U

Union Co., 17: 73; 18: 12-14; 19: 110-116.

## V

Virgin Islands, 16: 67-70; St. Croix, 17: 45. Virginia, 19: 116.

Volusia Co., 16: 81; 17: 1-10, 25-31, 72; 18: 33-35; 19: 110-116.

## W

Wakulla Co., 16: 78; 17: 1-10, 52, 73; 18: 12-14, 33-35, 68; 19: 55, 57, 65-72, 81-82, 107-109, 121; 20: 32.

Walton Co., 17: 73; 18: 12-14; 19: 57, 65-72, 120.

Washington Co., 17: 73; 18: 12-14; 20: 46-48.

## PART THREE, SPECIES INDEX

Plants, fish, and invertebrates are not included. Species mentioned in book reviews and Christmas Bird Counts are not listed. References to other publications are omitted except corrections of those publications. Subspecies are not differentiated.

## A

*Accipiter cooperii*, 18: 25; 19: 33-48.

*striatus*, 16: 74; 19: 33-38; 20: 36-41.

*Acridotheres tristis*, 16: 86.

*Aechmophorus occidentalis*, 19: 89.

*Agelaius phoeniceus*, 16: 25-34, 57-64; 17: 53-60; 19: 33-48, 115; 20: 36-41.

*xanthomus*, 17: 70.

*Aix sponsa*, 16: 25-34; 17: 82; 19: 37.

*Ajaia ajaja*, 16: 7, 65-67.

*Alca torda*, 16: 79.

*Alle alle*, 17: 52; 19: 89.

alligator, American, 16: 90-96, 96; 17: 42-43, 83.

*Alligator mississippiensis*, 16: 90-96, 96; 17: 42-43, 83.

*Alsophis portoricensis*, 19: 18.  
*Amazilia yucatanensis*, 19: 57, 120; 20: 6.  
*Ammodramus savannarum*, 16: 57-64.  
*Anas bahamensis*, 19: 120.  
     *crecca*, 17: 34.  
     *cyanoptera*, 18: 68.  
     *discors*, 17: 20, 34.  
     *fulvigula*, 16: 65.  
     *platyrhynchos*, 17: 20.  
 Anhinga, 17: 83; 19: 13, 37, 52, 111.  
*Anhinga anhinga*, 17: 83; 19: 13, 37, 52, 111.  
 Ani, Groove-billed, 20: 6.  
 anole, Desecheo, 19: 17-18.  
*Anolis desecheensis*, 19: 17-18.  
*Anous stolidus*, 17: 36; 18: 97.  
*Aphelocoma coerulescens*, 17: 25-31; 18: 82-83; 19: 114; 20: 36-41.  
*Aquila chrysaetos*, 19: 57.  
*Archilochus alexandri*, 19: 89, 120.  
     *colubris*, 16: 25-34; 19: 33-48, 120.  
*Ardea herodias*, 16: 65, 96; 19: 12, 52, 111; 20: 36-41.  
*Arenaria interpres*, 19: 83-84, 106-107.  
 armadillo, nine-banded, 16: 71; 17: 42.  
*Athene cunicularia*, 19: 113.  
*Aythya affinis*, 17: 20.

## B

Bananaquit, 16: 86; 19: 57, 89; 20: 108-109.  
*Bartramia longicauda*, 17: 35.  
 bat, mastiff, 17: 81-82.  
 bear, black, 16: 1-6; 17: 42-43; 20: 46-48.  
 beaver, 17: 72-75.  
 Bittern, Least, 17: 43-46; 18: 1-9.  
 Blackbird, Red-winged, 16: 25-34, 57-64; 17: 53-60; 19: 33-48, 115; 20: 36-41.  
     Yellow-shouldered, 17: 70.  
*Blarina carolinensis*, 18: 69-73.  
 Bluebird, Eastern, 17: 53-60; 19: 33-48; 20: 58, 59.  
 bobcat, 17: 42-43; 18: 84-87; 19: 118.  
 Bobolink, 16: 57-64; 17: 38.  
 Bobwhite, Northern, 17: 53-60; 19: 33-48.  
*Bombycilla cedrorum*, 16: 25-34; 19: 33-48.  
*Brachyrhamphus marmoratus*, 16: 37-38, 86; 18: 68.  
*Branta canadensis*, 17: 82; 18: 36.  
*Bubo virginianus*, 18: 29; 19: 33-48, 117-119.  
*Bubulcus ibis*, 16: 65, 91; 19: 12, 13, 37, 52; 20: 110-112.  
*Bucephala clangula*, 16: 39.  
 Budgerigar, 16: 86.

Bunting, Indigo, 16: 25-34, 57-64; 17: 1-10; 20: 105.  
     Lark, 16: 78; 19: 121  
     Painted, 16: 25-34; 17: 1-10.  
*Buteo jamaicensis*, 16: 25-34; 18: 10-12, 29, 52-55; 19: 33-48.  
     *lagopus*, 19: 57, 89.  
     *lineatus*, 16: 25-34; 17: 53-60; 18: 21-32; 19: 33-48, 55; 20: 36-41.  
     *regalis*, 16: 78; 17: 52; 18: 68; 19: 57.  
     *swainsoni*, 17: 52.  
*Butorides striatus*, 16: 8-9, 65; 18: 25; 20: 36-41.

## C

*Calamospiza melanocorys*, 16: 78; 19: 121.  
*Calcarius ornatus*, 19: 89.  
*Calidris alba*, 17: 35; 19: 106-107.  
     *bairdii*, 17: 52.  
     *canutus*, 19: 106-107.  
     *ferruginea*, 17: 52; 18: 68.  
     *himantopus*, 17: 36.  
     *maritima*, 19: 89.  
     *mauri*, 17: 35.  
     *melanotos*, 17: 35.  
     *minuta*, 16: 79.  
     *species*, 18: 68.  
 "Callichelidon cyaneoviridis" see *Tachycineta cyaneoviridis*.  
*Callipepla evelynae*, 20: 108-109.  
*Calypte anna*, 19: 57.  
*Campephilus principalis*, 19: 116.  
*Canis familiaris*, 19: 118.  
     *latrans*, 18: 12-14; 19: 54.  
*Caprimulgus carolinensis*, 17: 53-60; 19: 33-48, 113.  
     *vociferus*, 19: 33-48.  
 Cardinal, Northern, 16: 25-34; 17: 53-60; 18: 21-32; 19: 33-48, 115; 20: 36-41.  
*Cardinalis cardinalis*, 16: 25-34; 17: 53-60; 18: 21-32; 19: 33-48, 115; 20: 36-41.  
*Carduelis pinus*, 19: 33-48, 57.  
     *tristis*, 16: 9-10, 25-34; 19: 33-48.  
*Caretta caretta*, 19: 117-119.  
*Casmerodius albus*, 16: 65, 19: 12, 13, 52; 20: 36-41, 69.  
*Castor canadensis*, 17: 72-75.  
 cat, domestic, 16: 91; 19: 118.  
 Catbird, Gray, 16: 25-34, 57-64; 17: 53-60; 18: 21-32; 19: 33-48; 20: 36-41, 42.  
*Cathartes aura*, 18: 28; 19: 33-48.  
*Catharus fuscescens*, 16: 57-64; 19: 33-48.  
     *guttatus*, 18: 29; 19: 33-48.

- Catoptrophorus semipalmatus*, 17: 35; 19: 83-84.
- Ceryle alcyon*, 17: 37; 19: 37.
- Chaetura pelagica*, 16: 25-34; 19: 33-48, 113.  
*vauxi*, 19: 120.
- Charadrius melodus*, 17: 35.  
*semipalmatus*, 17: 35.  
*wilsonia*, 17: 35; 19: 112.
- Chat, Yellow-breasted, 16: 57-64, 86.
- Chen caerulescens*, 18: 36.  
*rossii*, 16: 86; 19: 57.
- Chickadee, Carolina, 16: 25-34; 19: 33-48.
- Chordeiles acutipennis*, 19: 57, 89, 120; 20: 6.  
*gundlachi*, 16: 78; 17: 36.  
*minor*, 16: 25-34; 19: 113.
- Chuck-will's-widow, 17: 53-60; 19: 33-48, 113.
- Circus cyaneus*, 19: 116; 20: 36-41.
- Cistothorus palustris*, 16: 57-64.  
*platensis*, 16: 57-64.
- Cnemidophorus sexlineatus*, 20: 8-14.
- Coccyzus americanus*, 16: 25-34, 57-64; 17: 53-60, 70; 18: 21-32; 19: 33-48; 20: 36-41.  
*minor*, 18: 55-56; 19: 84-85, 112.
- "Coccyzus" (sic), see *Coccyzus*.
- Coereba flaveola*, 16: 86; 19: 57, 89; 20: 108-109.
- Colaptes auratus*, 17: 53-60; 18: 25; 19: 33-48; 20: 36-41, 58, 59.
- Colinus virginianus*, 17: 53-60; 19: 33-48.
- Collared-Dove, Eurasian, 16: 86.
- "Columbia" (sic), see *Columbina*.
- Columbina passerina*, 16: 25-34; 17: 53-60; 18: 88; 19: 33-48; 20: 108-109.
- Contopus borealis*, 16: 72-74.  
*caribaeus*, 17: 37.  
*sordidulus*, 17: 52.  
*virens*, 16: 57-64; 19: 33-48.
- Coot, American, 16: 91.  
Caribbean, 17: 35; 18: 68.
- cooter, peninsula, 16: 91.
- Coragyps atratus*, 18: 21-32; 19: 33-48, 112; 20: 69.
- Cormorant, Double-crested, 16: 65; 19: 52, 111.
- "*Corvus brachyrhincus*" (sic), see *Corvus brachyrhynchus*.
- Corvus brachyrhynchus*, 17: 53-60.  
*imparatus*, 18: 74-80.  
*nasicus*, 17: 37.  
*ossifragus*, 16: 25-34, 65; 18: 74-80; 19: 33-48, 118.  
*sinaloae*, 18: 74-80.
- Cowbird, Bronzed, 20: 6.  
Brown-headed, 16: 25-34; 19: 33-48; 20: 17.  
Shiny, 16: 79; 17: 70; 18: 68; 19: 57, 89; 20: 17-18.
- coyote, 18: 12-14; 19: 54.
- Crane, Sandhill, 18: 36-37; 19: 10-12, 112; 20: 15-17.
- Crotophaga sulcirostris*, 20: 6.
- Crow, American, 17: 53-60.  
Cuban, 17: 37.  
Fish, 16: 25-34, 65; 18: 74-80; 19: 33-48, 118.  
Sinaloa, 18: 74-80.  
Tamaulipas, 18: 74-80.
- Cryptotis parva*, 18: 69-73.
- Cuckoo, Mangrove, 18: 55-56; 19: 84-85, 112.  
Yellow-billed, 16: 25-34, 57-64; 17: 53-60, 70; 18: 21-32; 19: 33-48; 20: 36-41.
- Cyanocitta cristata*, 16: 25-34; 17: 53-60; 18: 21-32, 81-82; 19: 33-48, 55, 109-110, 114; 20: 36-41.
- Cyclura carinata*, 20: 45-46.
- Cygnus columbianus*, 18: 36.

## D

- Dasypus novemcinctus*, 16: 71; 17: 42.
- deer, white-tailed, 16: 71, 83; 17: 42-43; 19: 1-9, 49-51, 97-105; 20: 100.
- Dendrocoryna arborea*, 17: 34.  
*autumnalis*, 19: 79-81, 120.
- Dendroica caerulescens*, 16: 25-34, 57-64.  
*coronata*, 16: 25-34, 57-64; 18: 21-32; 19: 33-48, 57; 20: 36-41, 42.  
*dominica*, 16: 57-64; 17: 37; 19: 33-48.  
*discolor*, 16: 25-34, 57-64; 17: 37, 53-60; 19: 33-48.  
*fusca*, 16: 57-64.  
*kirtlandii*, 19: 89.  
*magnolia*, 16: 57-64; 19: 33-48.  
*nigrescens*, 19: 89.  
*palmarum*, 16: 25-34, 57-64; 19: 33-48.  
*pennsylvanica*, 16: 57-64.  
*petechia*, 16: 57-64; 20: 108-109.  
*pinus*, 16: 25-34, 57-64; 17: 53-60; 19: 33-48.  
*striata*, 16: 7; 17: 37.  
*tigrina*, 16: 25-34.  
*townsendi*, 16: 78, 79.  
*virens*, 16: 57-64; 19: 33-48.

- Didelphis virginiana*, 18: 69-73; 19: 118.  
 dog, domestic, 19: 118.  
*Dolichonyx oryzivorus*, 16: 57-64; 17: 38.  
 Dove, Mourning, 16: 25-34; 17: 68; 18: 88;  
 19: 33-48.  
 White-winged, 17: 36, 53-60.  
 Zenaida, 16: 68; 17: 36, 67-69; 19: 57; 20:  
 108-109.  
 Dovekie, 17: 52; 19: 89.  
 Dowitcher, Short-billed, 17: 36; 19: 83-84.  
*Drymarchon corais*, 20: 40.  
*Dryocopus pileatus*, 16: 25-34; 18: 21-32; 19:  
 33-48; 20: 36-41.  
 Duck, Harlequin, 17: 52.  
 Masked, 16: 86; 19: 120.  
 Mottled, 16: 65.  
 Ruddy, 17: 20, 34, 82-83.  
 Wood, 16: 25-34; 17: 82; 19: 37.  
 "Dumatella" (sic), see *Dumetella*.  
*Dumetella carolinensis*, 16: 25-34, 57-64; 17:  
 53-60; 18: 21-32; 19: 33-48; 20: 36-41, 42.  
 Eagle, Bald, 18: 28; 20: 110-112.  
 Golden, 19: 57.  
 Egret, Great, 16: 65; 19: 12, 13, 52; 20: 36-  
 41, 69.  
 Cattle, 16: 65, 91; 19: 12, 13, 37, 52; 20:  
 110-112.  
 Reddish, 16: 65; 19: 51-53.  
 Snowy, 16: 65; 17: 19; 19: 12, 13, 52; 20:  
 36-41.  
*Egretta caerulea*, 17: 33; 19: 12, 52.  
*rufescens*, 16: 65; 19: 51-53.  
*thula*, 16: 65; 17: 19; 19: 12, 13, 52; 20:  
 36-41.  
*tricolor*, 16: 65; 17: 19; 19: 12, 13, 52; 20:  
 36-41.  
 Eider, Common, 17: 20.  
*Elanoides forficatus*, 19: 116; 20: 65-71.  
*Elanus caeruleus*, 16: 78; 17: 77-79; 20: 1-7.  
*Elaphe guttata*, 20: 105.  
*obsoleta*, 16: 14-16.  
*Empidonax traillii*, 19: 89.  
*virescens*, 16: 57-64.  
*Empidonomus varius*, 20: 42-44.  
*Eudocimus albus*, 18: 21-32; 19: 12, 13, 52,  
 112; 20: 36-41, 69, 107, 110, 111.  
*Eumops glaucinus*, 17: 81-82.  
 F  
*Falco columbarius*, 17: 34.  
*mexicanus*, 18: 68.  
*peregrinus*, 16: 74.  
*sparverius*, 17: 34; 19: 33-48; 20: 57-64,  
 108-109.  
 Falcon, Peregrine, 16: 74.  
 Prairie, 18: 68.  
*Felis concolor*, 16: 70-72, 81-85; 17: 42-43;  
 20: 97-103.  
*rufus*, 19: 118.  
*silvestris (catus)*, 16: 91; 19: 118.  
 Flamingo, Greater, 17: 34.  
 Flicker, Northern, 17: 53-60; 18: 25; 19: 33-  
 48; 20: 36-41, 58, 59.  
 Flycatcher, Acadian, 16: 57-64.  
 Ash-throated, 19: 120, 121.  
 Brown-crested, 17: 52; 18: 68; 20: 6.  
 Fork-tailed, 17: 52, 121.  
 Great Crested, 16: 25-34; 17: 53-60; 18:  
 28; 19: 33-48, 113; 20: 58, 59.  
 La Sagra's, 16: 78; 18: 68; 19: 57.  
 Olive-sided, 16: 72-74.  
 Stolid, 18: 15.  
 Variegated, 20: 42-44.  
 Willow, 19: 89.  
 Fowl, Domestic, 18: 57-58.  
 fox, gray, 17: 11-18; 19: 118.  
 red, 17: 11-18.  
*Fratercula arctica*, 16: 10-12, 86; 18: 68.  
*Fregata magnificens*, 16: 7.  
 Frigatebird, Magnificent, 16: 7.  
 frog, gopher, 17: 20-22.  
*Fulica americana*, 16: 91; 17: 35.  
*caribaea*, 17: 35; 18: 68.  
 G  
*Gallinula chloropus*, 16: 91; 17: 35, 83; 20:  
 36-41.  
*Gallinago gallinago*, 17: 36; 20: 36-41.  
 Gallinule, Purple, 17: 83; 19: 112.  
*Gallus gallus*, 18: 57-58.  
*Gastrophryne carolinensis*, 20: 105.  
*Gavia arctica/pacifica*, 18: 68; 19: 57, 107-  
 109, 120.  
*immer*, 19: 73-79, 107-109.  
*stellata*, 19: 107-109.  
*Geomys pinetis*, 17: 15.  
*Geothlypis trichas*, 16: 25-34, 57-64; 17: 53-  
 60; 18: 21-32; 19: 33-48; 20: 36-41.  
*Geotrygon chrysis*, 18: 68; 19: 120.  
*montana*, 19: 120.  
*Glaucomyz volans*, 20: 58, 59.  
 Gnatcatcher, Blue-gray, 16: 25-34; 17: 53-60;  
 18: 28; 19: 33-48.  
 Godwit, Bar-tailed, 17: 52.

Black-tailed, 18: 68.  
 Hudsonian, 18: 68.  
 Goldeneye, Common, 16: 39.  
 Golden-Plover, Lesser, 16: 7.  
 Goldfinch, American, 16: 9-10, 25-34; 19: 33-48.  
 Goose, Canada, 17: 82; 18: 36.  
   Ross', 16: 86; 19: 57.  
   Snow, 18: 36.  
 gopher, pocket, 17: 15.  
*Gopherus polyphemus*, 17: 20-22; 18: 45-51.  
 Grackle, Boat-tailed, 16: 74-75; 19: 33-48, 55, 115; 20: 17, 36-41, 76.  
   Common, 16: 25-34; 17: 53-60; 18: 21-32; 19: 33-48, 115; 20: 17, 36-41.  
   Greater Antillean, 17: 70.  
 Grassquit, Black-faced, 18: 68; 19: 57, 89; 20: 108-109.  
   Cuban, 16: 86.  
   Yellow-faced, 19: 21-24.  
 Grebe, Least, 17: 33; 19: 120.  
   Pied-billed, 17: 33; 20: 36-41.  
   Western, 19: 89.  
 Grosbeak, Black-headed, 18: 68.  
   Blue, 17: 1-10, 38.  
 Ground-Dove, Common, 16: 25-34; 17: 53-60; 18: 88; 19: 33-48; 20: 108-109.  
*Grus canadensis*, 18: 36-37; 19: 10-12, 112; 20: 15-17.  
*Guiraca caerulea*, 17: 1-10, 38.  
 Gull, Bonaparte's, 17: 19-20.  
   California, 19: 57, 89.  
   Glaucous, 19: 120.  
   Herring, 16: 13.  
   Laughing, 17: 36; 18: 97; 19: 118.  
   Ring-billed, 16: 13-14; 19: 118; 20: 107.  
   Sabine's, 16: 78, 79.  
   Thayer's, 17: 52.

## H

*Haematopus palliatus*, 16: 7; 17: 35.  
*Haliaeetus leucocephalus*, 18: 28; 20: 110-112.  
 Harrier, Northern, 19: 116; 20: 36-41.  
 Hawk, Cooper's, 18: 25; 19: 33-48.  
   Ferruginous, 16: 78; 17: 52; 18: 68; 19: 57.  
   Red-shouldered, 16: 25-34; 17: 53-60; 18: 21-32; 19: 33-48, 55; 20: 36-41.  
   Red-tailed, 16: 25-34; 18: 10-12, 52-55; 19: 33-48.  
   Rough-legged, 19: 57, 89.  
   Sharp-shinned, 16: 74; 19: 33-48; 20: 36-

41.  
   Swainson's, 17: 52.  
*Helmitheros vermivorus*, 16: 25-34, 57-64.  
 Heron, Great Blue, 16: 65, 96; 19: 12, 52, 111; 20: 36-41.  
   Green-backed, 16: 8-9, 65; 18: 25; 20: 36-41.  
   Little Blue, 17: 33; 19: 12, 52.  
   Tricolored, 16: 65; 17: 19; 19: 12, 13, 52; 20: 36-41.  
*Himantopus mexicanus*, 17: 35.  
*Hirundo fulva*, 16: 86, 86-90.  
   *pelodoma*, 16: 89.  
   *pyrrhonota*, 17: 37.  
   *rustica*, 17: 37; 19: 33-48.  
*Histrionicus histrionicus*, 17: 52.  
 hog, wild, 16: 71, 82; 17: 42-43; 20: 100.  
 Hummingbird, Allen's 19: 57, corrig. 19: 119.  
   Anna's, 19: 57.  
   Black-chinned, 19: 89, 120.  
   Buff-bellied, 19: 57, 120; 20: 6.  
   Calliope, 19: 120.  
   Ruby-throated, 16: 25-34; 19: 33-48, 120.  
*Hylocichla mustelina*, 16: 25-34; 19: 33-48.  
 "Hyocichla" (sic), see *Hylocichla*.

## I

Ibis, Glossy, 16: 65.  
   White, 18: 21-32; 19: 12, 13, 52, 112; 20: 36-41, 69, 107, 110, 111.  
*Icteria virens*, 16: 57-64, 86.  
*Icterus galbula*, 19: 57; 20: 18-20.  
   *icterus*, 17: 70.  
   *spurius*, 16: 25-34.  
*Ictinia mississippiensis*, 19: 120.  
 iguana, rock, 20: 45-46.  
*Ixobrychus exilis*, 17: 43-46; 18: 1-9.  
*Ixoreus naevius*, 16: 78; 19: 57.

## J

Jay, Blue, 16: 25-34; 17: 53-60; 18: 21-32, 81-82; 19: 33-48, 55, 109-110, 114; 20: 36-41.  
   Scrub, 17: 25-31; 18: 82-83; 19: 114; 20: 36-41.  
 Junco, Dark-eyed, 18: 68; 19: 33-48.  
*Junco hyemalis*, 18: 68; 19: 33-48.

## K

Kestrel, American, 17: 34; 19: 33-48; 20: 57-64, 108-109.  
 Kingbird, Cassin's, 16: 78; 17: 79-81; 19: 89.

- Couch's, 17:52.  
 Eastern, 16: 25-34, 57-64; 17: 53-60; 19: 113.  
 Gray, 19: 114; 20: 108-109.  
 Loggerhead, 16: 78.  
 Kingfisher, Belted, 17: 37; 19: 37.  
 Kinglet, Golden-crowned, 19: 33-48.  
   Ruby-crowned, 16: 25-34, 57-64; 18: 21-32; 19: 33-48.  
*Kinosternon baurii*, 16: 91.  
 Kite, Black-shouldered, 16: 78; 17: 77-79; 20: 1-7.  
   Mississippi, 19: 120.  
   Snail, 16: 14-16, 79; 20: 6.  
   Swallow-tailed, 19: 116; 20: 65-71.  
 Knot, Red, 19: 106-107.
- L
- Lanius ludovicianus*, 17: 53-60; 19: 114; 20: 75-76, 104-107.  
*Larus argentatus*, 16: 13.  
   *atricilla*, 17: 36; 18: 97; 19: 118.  
   *californicus*, 19: 57, 89.  
   *delawarensis*, 16: 13-14; 19: 118; 20: 107.  
   *hyperboreus*, 19: 120.  
   *philadelphia*, 17: 19-20.  
   *thayeri*, 17: 52.  
*Laterallus jamaicensis*, 16: 57-64; 18: 33-35.  
*Limnodromus griseus*, 17: 36; 19: 83-84.  
*Limnithlypis swainsonii*, 16: 57-64.  
*Limosa haemastica*, 18: 68.  
   *lapponica*, 17: 52.  
   *limosa*, 18: 68.  
 Longspur, Chestnut-collared, 19: 89.  
 Loon, Common, 19: 73-79, 107-109.  
   Pacific (Arctic), 18: 68; 19: 57, 107-109, 120.  
   Red-throated, 19: 107-109.  
*Lophodytes cucullatus*, 17: 19-20.  
*Lynx rufus*, 17: 42-43; 18: 84-87.
- M
- Magpie, Black-billed, 16: 86.  
 Mallard, 17: 20.  
*Margarops fuscatus*, 20: 108-109.  
 Martin, Purple, 16: 35-37; 19: 33-48.  
 Meadowlark, Eastern, 17: 53-60; 18: 69-73; 19: 33-48, 115, 116.  
*Megasceryle*, see *Ceryle*.  
*Melanerpes carolinus*, 16: 25-34; 17: 53-60; 18: 21-32, 57-58; 19: 33-48.  
   *erythrocephalus*, 19: 33-48.  
   *superciliaris*, 18: 14-15.  
*Meleagris gallopavo*, 20: 29-35.  
*Melospittacus undulatus*, 16: 86.  
*Melospiza georgiana*, 16: 57-64; 20: 36-41.  
 Merganser, Hooded, 17: 19-20.  
 Merlin, 17: 34.  
*Mimus gundlachi*, 17: 52; 19: 57, 89, 121; 20: 108-109.  
   *polyglottos*, 17: 53-60; 19: 33-48, 114; 20: 89-96.  
*Mniotilta varia*, 16: 25-34, 57-64, 17: 53-60; 18: 29; 19: 33-48.  
 Mockingbird, Bahama, 17: 52; 19: 57, 89, 121; 20: 108-109.  
 Northern, 17: 53-60; 19: 33-48, 114; 20: 89-96.  
*Molothrus aeneus*, 20: 6.  
   *ater*, 16: 25-34; 19: 33-48; 20: 17.  
   *bonariensis*, 16: 79; 17: 70; 18: 68; 19: 57, 89; 20: 17-18.  
 Moorhen, Common, 16: 91; 17: 35, 83; 20: 36-41.  
 mouse, beach, 19: 117.  
   cotton, 17: 15, 21; 18: 50.  
   eastern harvest, 18: 69-73.  
   Florida, 17: 15; 18: 45-51.  
 Murrelet, Marbled, 16: 37-38, 86; 18: 68.  
 muskrat, round-tailed, 18: 69-73.  
*Mustela frenata*, 17: 20-22.  
*Mycteria americana*, 19: 12-14, 37, 112; 20: 107.  
*Myiarchus cinerascens*, 19: 120, 121.  
   *crinitus*, 16: 25-34; 17: 53-60; 18: 28; 19: 33-48, 113; 20: 58, 59.  
   *sagrae*, 16: 78; 18: 68; 19: 57.  
   *stolidus*, 18: 15.  
   *tyrannulus*, 17: 52; 18: 68; 20: 6.  
 Myna, Common, 16: 86.
- N
- Neofiber alleni*, 18: 69-73.  
*Neotoma floridana*, 17: 15.  
*Nerodia* species, 16: 92.  
 Nighthawk, Antillean, 16: 78; 17: 36.  
   Common, 16: 25-34; 19: 113.  
   Lesser, 19: 57, 89, 120; 20: 6.  
 Night-Heron, Black-crowned, 17: 33; 19: 52.  
   Yellow-crowned, 19: 52, 111; 20: 69.  
 Noddy, Brown, 17: 36; 18: 97.  
*Numenius phaeopus*, 17: 35, 52.  
 Nuthatch, Red-breasted, 19: 33-48.  
   White-breasted, 19: 33-48.  
*Nyctanassa violacea*, 19: 52, 111; 20: 69.

- Nycticorax nycticorax*, 17: 33; 19: 52.  
 "violaceus" (sic) see *Nyctanassa violacea*.
- O
- Odocoileus virginianus*, 16: 71, 83; 17: 42-43; 19: 1-9, 49-51, 97-105; 20: 100.  
*Oporornis agilis*, 16: 57-64; 17: 69-72.  
   *formosus*, 16: 25-34, 57-64.  
   *philadelphia*, 17: 37, 70.  
 opossum, 18: 69-7; 19: 118.  
 Oriole, Northern, 19: 57; 20: 18-20.  
   Orchard, 16: 25-34.  
*Oryzomys palustris*, 17: 78; 18: 69-73.  
 Osprey, 17: 83; 18: 81-82; 20: 110, 111.  
*Otus asio*, 16: 25-34; 19: 33-48, 113; 20: 58, 59.  
 Ovenbird, 16: 25-34, 57-64; 17: 53-60; 18: 29; 19: 33-48.  
 Owl, Barn, 18: 69-73.  
   Barred, 18: 25; 19: 33-48.  
   Burrowing, 19: 113.  
   Great Horned, 18: 29; 19: 33-48, 117-119.  
*Oxyura dominica*, 16: 86; 19: 120.  
   *jamaicensis*, 17: 20, 34, 82-83.  
 Oystercatcher, American, 16: 7; 17: 35.
- P
- Pandion haliaetus*, 17: 83; 18: 81-82; 20: 110, 111.  
 panther, 16: 70-72, 81-85; 17: 42-43; 21: 97-103.  
*Parula americana*, 16: 25-34, 57-64; 17: 37; 18: 28; 19: 33-48.  
 Parula, Northern, 16: 25-34, 57-64; 17: 37; 18: 28; 19: 33-48.  
*Parus bicolor*, 16: 25-34; 19: 33-48.  
   *carolinensis*, 16: 25-34; 19: 33-48.  
*Passerculus sandwichensis*, 16: 57-64; 18: 69-73.  
*Passerina ciris*, 16: 25-34; 17: 1-10.  
   *cyanea*, 16: 25-34, 57-64; 17: 1-10; 20: 105.  
*Pelecanus occidentalis*, 16: 65; 18: 97; 19: 52, 55-56, 111, 20: 107.  
 Pelican, Brown, 16: 65; 18: 97; 19: 52, 55-56, 111; 20: 107.  
*Peromyscus*, see *Podomys*.  
 Petrel, Black-capped, 19: 89, 120.  
 Pewee, Greater Antillean, 17: 37.  
 "Phaethon lepturus" (sic), see *Phaethon lepturus*.
- Phaethon lepturus*, 17: 33.  
*Phalacrocorax auritus*, 16: 65; 19: 52, 111.  
 Phalarope, Wilson's, 16: 7.  
*Phalaropus tricolor*, 16: 7.  
*Pheucticus melanocephalus*, 18: 68.  
 Phoebe, Eastern, 17: 22; 19: 33-48.  
   Say's, 19: 57.  
*Phoenicopterus ruber*, 17: 34.  
*Pica pica*, 16: 86.  
*Picoides pubescens*, 16: 25-34; 17: 53-60; 18: 28; 19: 33-48.  
   *villosus*, 17: 53-60.  
 Pintail, White-cheeked, 19: 120.  
*Pipilo chlorurus*, 19: 121.  
   *erythrophthalmus*, 16: 25-34; 17: 53-60; 18: 21-32; 19: 33-48; 20: 36-41.  
*Piranga olivacea*, 16: 25-34, 57-64.  
   *rubra*, 16: 25-34, 57-64; 19: 33-48, 115.  
*Plegadis falcinellus*, 16: 65.  
 Plover, Black-bellied, 19: 83-84, 106-107.  
   Piping, 17: 35.  
   Semipalmated, 17: 35.  
   Wilson's, 17: 35; 19: 112.  
*Pluvialis dominica*, 16: 7.  
   *squatarola*, 19: 83-84, 106-107.  
*Podilymbus podiceps*, 17: 33; 20: 36-41.  
*Podomys (Peromyscus) floridanus*, 17: 15; 18: 45-51.  
   *gossypinus*, 17: 15, 21; 18: 50  
   *polionotus*, 19: 117.  
*Poliophtila caerulea*, 16: 25-34; 17: 53-60; 18: 28; 19: 33-48.  
*Porphyryla martinica*, 17: 83; 19: 112.  
*Porzana carolina*, 16: 57-64; 17: 35.  
*Procyon lotor*, 16: 71, 83; 17: 42-43; 19: 118.  
*Progne subis*, 16: 35-37; 19: 33-48.  
*Protonotaria citrea*, 16: 57-64.  
*Pseudemys floridana*, 16: 91.  
   *nelsoni*, 16: 91.  
*Pseudobranchius striatus*, 16: 12-13.  
*Pterodroma hasitata*, 19: 89, 120.  
 Puffin, Atlantic, 16: 10-12, 86; 18: 68.
- Q
- Quail-Dove, Ruddy, 19: 120.  
   Key West, 18: 68; 19: 120.  
*Quiscalus major*, 16: 74-75; 19: 33-48, 55, 115; 20: 17, 36-41, 76.  
   *niger*, 17: 70.  
   *quiscula*, 16: 25-34; 17: 53-60; 18: 21-32; 19: 33-48, 115; 20: 17, 36-41.

## R

- rabbit, cottontail, 17: 16.  
 marsh, 17: 16.  
 raccoon, 16: 71, 83; 17: 42-43; 19: 118.  
 racerunner, six-lined, 20: 8-14.  
 Rail, Black, 16: 57-64; 18: 33-35.  
 Clapper, 16: 57-64, 17: 34.  
 King, 20: 36-41.  
*Rallus elegans*, 20: 36-41.  
*longirostris*, 16: 57-64; 17: 34.  
*Rana areolata*, 17: 20-22.  
 rat, cotton, 17: 15, 78; 18: 69-73; 19: 117.  
 rice, 17: 78; 18: 69-73.  
 Razorbill, 16: 79.  
 Redshank, Spotted, 17: 52.  
 Redstart, American, 16: 25-34, 57-64; 17: 53-60.  
 Reef-Heron, Eastern, 16: 96.  
*Regulus calendula*, 16: 25-34, 57-64; 18: 21-32; 19: 33-48.  
*satrapa*, 19: 33-48.  
*Reithrodontomys humilis*, 18: 69-73.  
 Robin, American, 17: 53-60; 18: 21-32; 19: 33-48; 20: 36-41.  
*Rostrhamus sociabilis*, 16: 14-16, 79; 20: 6.  
*Rynchops niger*, 19: 65-72.
- S
- Sanderling, 17: 35; 19: 106-107.  
 Sandpiper, Baird's, 17: 52.  
 Curlew, 17: 52; 18: 68.  
 Pectoral, 17: 35.  
 Purple, 19: 89.  
 Solitary, 17: 35.  
 Stilt, 17: 36.  
 Upland, 17: 35.  
 Western, 17: 35.  
 Sapsucker, Yellow-bellied, 16: 57-64; 19: 33-48.  
*Sayornis phoebe*, 17: 22; 19: 33-48.  
*saya*, 19: 57.  
 Scaup, Lesser, 17: 20.  
*Scincella lateralis*, 20: 104, 105.  
*Sciurus carolinensis*, 20: 58, 59.  
*Scolopax minor*, 19: 33-48.  
 Screech-Owl, Eastern, 16: 25-34; 19: 33-48, 113; 20: 58, 59.  
*Seiurus aurocapillus*, 16: 25-34, 57-64; 17: 53-60; 18: 29; 19: 33-48.  
*motacilla*, 17: 37; 20: 77-78.  
*noveboracensis*, 16: 57-64; 17: 37.  
*Selasphorus sasin*, 19: 57, corrig. 19: 119.  
*Setophaga ruticilla*, 16: 25-34, 57-64; 17: 53-60.  
 shrew, least, 18: 69-73  
 southeastern short-tailed, 18: 69-73.  
 Shrike, Loggerhead, 17: 53-60; 19: 114; 20: 75-76, 104-107.  
*Sialia sialis*, 17: 53-60; 19: 33-48; 20: 58, 59.  
*Sigmodon hispidus*, 17: 15, 77-79; 18: 69-73; 19: 117.  
*Silvagus floridanus*, 17: 16.  
*palustris*, 17: 16.  
 siren, greater, 16: 92.  
 Gulf Hammock dwarf, 16: 12-13.  
*Siren lacertina*, 16: 92.  
 Siskin, Pine, 19: 33-48, 57.  
*Sitta canadensis*, 19: 33-48.  
*carolinensis*, 19: 33-48.  
 Skimmer, Black, 19: 73-79.  
 skink, ground 20: 104, 105.  
 skunk, eastern spotted, 17: 20-22.  
 snake, corn, 20: 105.  
 rat, 16: 14-16.  
 indigo, 20: 40.  
 water, 16: 92.  
 Snipe, Common, 17: 36; 20: 36-41.  
*Somateria mollissima*, 17: 20.  
 Sora, 16: 57-64; 17: 35.  
 Sparrow, Golden-crowned, 19: 19-21, 121.  
 Grasshopper, 16: 57-64.  
 Savannah, 16: 57-64; 18: 69-73.  
 Swamp, 16: 57-64; 20: 36-41.  
 White-throated, 19: 33-48.  
*Sphyrapicus varius*, 16: 57-64; 19: 33-48.  
*Spilogale putorius*, 17: 20-22.  
*Spindalis zena*, 19: 57.  
 Spoonbill, Roseate, 16: 7, 65-67.  
 squirrel, flying, 20: 58, 59.  
 gray, 20: 58, 59.  
 Starling, European, 18: 14-15; 20: 57-64.  
*Stellula calliope*, 19: 120.  
*Sterna anaethetus*, 17: 36.  
*antillarum*, 17: 61-66; 19: 65-72.  
*dougallii*, 16: 67-70; 17: 36.  
*forsteri*, 17: 19.  
*fuscata*, 17: 36; 18: 97.  
*hirundo*, 16: 7, 68; 17: 36.  
*maxima*, 16: 7.  
*nilotica*, 17: 36.  
*paradisaea*, 19: 120.  
*sandvicensis*, 17: 36.  
*Sternotherus odoratus*, 16: 91.  
 Stilt, Black-necked, 17: 35.  
 stinkpot, 16: 91.

- Stint, Little, 16: 79.  
species, 18: 68.
- Stork, Wood 19: 12-14, 37, 112; 20: 107.
- Streptopelia decuato*, 16: 86.  
*turtur*, 18: 88-90.
- Strix varia*, 18: 25; 19: 33-48.
- Sturnella magna*, 17: 53-60; 18: 69-73; 19: 33-48, 115, 116.
- Sturnus vulgaris*, 18: 14-15; 20: 57-64.
- Sus scrofa*, 16: 71, 82; 17: 42-43; 20: 100.
- Swallow, Bahama, 17: 40-41; 18: 15; 19: 57.  
Barn, 17: 37; 19: 33-48.  
Cave, 16: 86, 86-90.  
Cinnamon-sided, 16: 89.  
Cinnamon-throated, 16: 89.  
Cliff, 17: 37.  
Tree, 17: 40-41; 19: 33-48; 20: 37.  
Violet-green, 19: 89.
- Swan, Tundra, 18: 36.
- Swift, Chimney, 16: 25-34; 19: 33-48, 113.  
Vaux's, 19: 120.
- Sylvilagus floridanus*, 17: 16.  
*palustris*, 17: 16.
- T
- Tachybaptus dominicus*, 17: 33; 19: 120.
- Tachycineta bicolor*, 17: 40-41; 19: 33-48; 20: 37.  
*cyaneoviridis*, 17: 40-41; 18: 15; 19: 57.  
*thalassinia*, 19: 89.
- "*Tachypaptus*" (sic), see *Tachybaptus*.
- Tanager, Scarlet, 16: 25-34, 57-64.  
Stripe-headed, 19: 57.  
Summer, 16: 25-34, 57-64; 19: 33-48, 115.
- Teal, Blue-winged, 17: 20, 34.  
Cinnamon, 18: 68.  
Green-winged, 17: 34.
- Tern, Arctic, 19: 120.  
Bridled, 17: 36.  
Common, 16: 7, 68; 17: 36.  
Gull-billed, 17: 36.  
Forster's, 17: 19.  
Least, 17: 61-66; 19: 73-79.  
Roseate, 16: 67-70; 17: 36.  
Royal, 16: 7.  
Sandwich, 17: 36.  
Sooty, 17: 36; 18: 97.
- Terrapene carolina*, 19: 14-16.
- Thrasher, Brown, 17: 53-60; 19: 33-48.  
Curve-billed, 19: 89.  
Pearly-eyed, 20: 108-109.
- Thrush, Hermit, 18: 29; 19: 33-48.  
Varied, 16: 78; 19: 57.
- Wood, 16: 25-34; 19: 33-48.
- Thryothorus ludovicianus*, 16: 25-34; 17: 53-60; 18: 21-32; 19: 33-48, 114; 20: 36-41.
- Tiaris bicolor*, 18: 68; 19: 57, 89; 20: 108-109.  
*canora*, 16: 86.  
*olivacea*, 19: 21-24.
- Titmouse, Tufted, 16: 25-34; 19: 33-48.
- toad, eastern narrow-mouthed, 20: 105.
- tortoise, gopher, 17: 20-22; 18: 45-51.
- Towhee, Green-tailed, 19: 121.  
Rufous-sided, 16: 25-34; 17: 53-60; 18: 21-32; 19: 33-48; 20: 36-41.
- Toxostoma curvirostre*, 19: 89.  
*rufum*, 17: 53-60; 19: 33-48.
- "*Trigodytes*" (sic), see *Troglodytes*.
- Tringa erythropus*, 17: 52.  
*flavipes*, 17: 35.  
*melanoleuca*, 17: 35.  
*solitaria*, 17: 35.
- Troglodytes aedon*, 16: 25-34; 19: 33-48.
- Tropicbird, White-tailed, 17: 33.
- Troupial, 17: 70.
- Turdus migratorius*, 17: 53-60; 18: 21-32; 19: 33-48; 20: 36-41.
- Turkey, Wild, 20: 29-35.
- Turnstone, Ruddy, 19: 83-84, 106-107.
- turtle, box, 19: 14-16.  
loggerhead, 19: 117-119.  
red-bellied, 16: 91.  
striped mud, 16: 91.
- Turtle-Dove, European, 18: 88-90.
- Tyrannus caudifasciatus*, 16: 78.  
*couchii*, 17: 52.  
*dominicensis*, 19: 114; 20: 108-109.  
*savana*, 17: 52; 19: 121.  
*tyrannus*, 16: 25-34, 57-64; 17: 53-60; 19: 113.  
*vociferans*, 16: 78; 17: 79-81, 19: 89
- Tyto alba*, 18: 69-73.
- U
- "*Urocyon*" (sic), see *Urocyon*.
- Urocyon cinereoargenteus*, 17: 11-18; 19: 118.
- Ursus americanus*, 16: 1-6; 17: 42-43; 20: 46-48.
- V
- Veery, 16: 57-64; 19: 33-48.
- Vernivora bachmanii*, 16: 78, 79.  
*peregrina*, 16: 57-64.  
*ruficapilla*, 17: 37.
- "*Viero*" (sic), see *Vireo*.

- Vireo altiloquus*, 17: 53-60; 19: 115.  
*crassirostris*, 19: 57, 65, 89, 121; 20: 108-109.  
*flavifrons*, 16: 57-64; 17: 69-72; 19: 33-48.  
*flavoviridis*, 17: 52.  
*gilvus*, 19: 57.  
*griseus*, 16: 25-34, 57-64; 17: 53-60; 18: 21-32; 19: 33-48, 114; 20: 36-41.  
*olivaceus*, 16: 25-34, 57-64; 17: 37; 18: 28; 19: 33-48.  
*solitarius*, 16: 25-34, 57-64.
- Vireo, Black-whiskered, 17: 53-60; 19: 115.  
 Solitary, 16: 25-34, 57-64.  
 Red-eyed, 16: 25-34, 57-64; 17: 37; 18: 28; 19: 33-48.  
 Thick-billed, 19: 57, 65, 89, 121; 20: 108-109.  
 Yellow-green, 17: 52.  
 Yellow-throated, 16: 57-64; 17: 69-72; 19: 33-48.  
 Warbling, 19: 57.  
 White-eyed, 16: 25-34, 57-64; 17: 53-60; 18: 21-32; 19: 33-48, 115, 121; 20: 36-41.
- Vulpes vulpes*, 17: 11-18.
- Vulture, Black, 18: 21-32; 19: 33-48, 112; 20: 69.  
 Turkey, 18: 28; 19: 33-48.

## W

- Warbler, Bachman's, 16: 78, 79.  
 Black-and-white, 16: 25-34, 57-64; 17: 53-60; 18: 29; 19: 33-48.  
 Blackburnian, 16: 57-64.  
 Black-throated Blue, 16: 25-34, 57-64.  
 Black-throated Gray, 19: 89.  
 Black-throated Green, 16: 57-64; 19: 33-48.  
 Blackpoll, 16: 7; 17: 37.  
 Canada, 16: 7.  
 Cape May, 16: 25-34.  
 Chestnut-sided, 16: 57-64.  
 Connecticut, 16: 57-64; 17: 69-72.  
 Hooded, 16: 25-34, 57-64.  
 Kentucky, 16: 25-34, 57-64.  
 Kirtland's, 19: 89.  
 Magnolia, 16: 57-64; 19: 33-48.  
 Mourning, 17: 37, 70.  
 Nashville, 17: 37.  
 Palm, 16: 25-34, 57-64; 19: 33-48.  
 Pine, 16: 25-34, 57-64; 17: 53-60; 19: 33-48.  
 Prairie, 16: 25-34, 57-64; 17: 37, 53-60; 19: 33-48.  
 Prothonotary, 16: 57-64.  
 Swainson's, 16: 57-64.  
 Tennessee, 16: 57-64.  
 Townsend's, 16: 78, 79.  
 Yellow, 16: 57-64; 20: 108-109.  
 Yellow-rumped, 16: 25-34, 57-64; 18: 21-32; 19: 33-48, 57; 20: 36-41, 42.  
 Yellow-throated, 16: 57-64; 17: 37; 19: 33-48.  
 Worm-eating, 16: 25-34, 57-64.
- Waterthrush, Louisiana, 17: 37; 20: 77-78.  
 Northern, 16: 57-64; 17: 37.
- Waxwing, Cedar, 16: 25-34; 19: 33-48.
- Weasel, long-tailed, 17: 20-22.
- Whimbrel, 17: 35, 52.
- Whip-poor-will, 19: 33-48.
- Whistling-Duck, Black-bellied, 19: 79-81, 120.  
 West Indian, 17: 34.
- Willet, 17: 35; 19: 83-84.
- Wilsonia canadensis*, 16: 7.  
*citrina*, 16: 25-34, 57-64.
- Woodcock, American, 19: 33-48.
- Woodpecker, Downy, 16: 25-34; 17: 53-60; 18: 28; 19: 33-48.  
 Hairy, 17: 53-60.  
 Ivory-billed, 19: 116.  
 Pileated, 16: 25-34; 18: 21-32; 19: 33-48; 20: 36-41.  
 Red-bellied, 16: 25-34; 17: 53-60; 18: 21-32, 57-58; 19: 33-48.  
 Red-headed, 19: 33-48.  
 West Indian, 18: 14-15.
- Wood-Pewee, Eastern, 16: 57-64; 19: 33-48.  
 Western, 17: 25.
- Woodrat, eastern, 17: 15.
- Woodstar, Bahama, 20: 108-109.
- Wren, Carolina, 16: 25-34; 17: 53-60; 18: 21-32; 19: 33-48, 114; 20: 36-41.  
 House, 16: 25-34; 19: 33-48.  
 Marsh, 16: 57-64.  
 Sedge, 16: 57-64.

## X

*Xema sabini*, 16: 78, 79.

## Y

- Yellowlegs, Greater, 17: 35.  
 Lesser, 17: 35.  
 Yellowthroat, Common, 16: 25-34; 17: 53-60; 18: 21-32; 19: 33-48; 20: 36-41.

## Z

- Zenaida asiatica*, 17: 36, 53-60.  
*aurita*, 16: 68; 17: 36, 67-69; 19: 57; 20: 108-109.  
*macroura*, 16: 25-34; 17: 68; 18: 8; 19: 33-48.
- Zonotrichia albicollis*, 19: 33-48.  
*atricapilla*, 19: 19-21, 121.