

FIELD OBSERVATIONS

Fla. Field Nat. 24(1):18-24, 1996.

Summer Report: June-July 1995.—The observations listed here are based on rare or unusual species or significant numbers of birds reported to the Florida Ornithological Society (F.O.S.) Field Observations Committee (F.O.C.). As these reports are not formally reviewed, they may be considered tentative.

Significant reports are welcomed for inclusion in future issues of this section. Reports should include the following information: species, number of individuals, age and sex of the bird(s), color morph if applicable, location (including county), date, observer(s), and significance of the report. Reporting periods are winter (December-February), spring (March-May), summer (June-July), and fall (August-November). Submit reports to regional compilers within 2 weeks after the close of each period, or to the state compiler within 1 month. Reports may be sent by FAX to the state compiler at (941) 699-1927.

Following the examples set by *Florida Bird Species: An Annotated List* (Robertson and Woolfenden 1992, F.O.S. Spec. Publ. No. 6) and *The Birdlife of Florida* (Stevenson and Anderson 1994, Univ. Press of Florida), sight-only observations are considered “reports,” while only those supported by verifiable evidence (photographs, video or audio tapes, or specimens) are called “records.”

Bruce Anderson (*in litt.* July 1995) revised the list of birds for which the F.O.S. Records Committee (F.O.S.R.C.) requires documentation. These species are marked in this report with an asterisk (*) to alert the observers of their need to supply the F.O.S.R.C. with details of their sightings.

A county designation accompanies the first-time listing of each site in this report; further listings of the same site lack the county name. Abbreviations used are as follows: A.P.A.F.R.=Avon Park Air Force Range, ca.=circa, C.P.=county park, E.M.C.A.=Emeralda Marsh Conservation Area (*Lake*), E.N.P.=Everglades N.P., *F.F.N.*=*Florida Field Naturalist*, N.P.=national park, N.W.R.=national wildlife refuge, R&W 1992=Robertson and Woolfenden 1992, S&A 1994=Stevenson and Anderson 1994, S.P.=state park, S.R.A.=state recreation area, S.T.F.=sewage treatment facility, W.M.A.=wildlife management area, and N., S., E., W., etc. for compass directions. Bold-faced species, if any, denote birds newly reported or verified in Florida.

The state compiler thanks Rich Paul and Ann Schnapf, the summer editors of *National Audubon Society Field Notes*. R&W 1992 and S&A 1994 were used to determine the regional and seasonal status of many species.

SUMMARY OF THE SUMMER SEASON

A surprising event of the summer season was Hurricane *Allison*, one of the few June hurricanes to ever strike Florida. *Allison* formed in the southern Caribbean Sea 3 June, moved north, and came ashore in the western Panhandle 5 June. Damage caused by the storm was minimal, but there were a few reports of storm-driven birds, mostly along the Gulf coast. One or more Greater Flamingoes in Franklin and Wakulla counties were probably related to the storm and a **Western Wood-Pewee** in Highlands County may also have been a storm-carried vagrant. The wood-pewee was photographed, and more importantly, its song was recorded, for the first verifiable record of the species in the state.

Owing to the active hurricane season this year, excessive amounts of rainfall fell over most of the state, causing flooding in many areas. Ted Below reported that over 24 inches of rain were recorded at Corkscrew Swamp Sanctuary in June and July, compared to a 10-year mean of just over 16 inches. As a result, the Wood Stork colony at Corkscrew fared poorly, fledging only 200 young from over 900 nests.

Other interesting sightings were rare summer reports of Peregrine Falcon in Highlands County and Whip-poor-wills in Highlands and Orange counties. The first breeding report of House Finches in Jacksonville was reported in July. Black-bellied Whistling-Ducks were reported from 3 locations far from Sarasota County. Other rarities reported this season were a Curlew Sandpiper at Fort Myers Beach (where 1 has been reported frequently the past 2 years), a Long-tailed Jaeger at St. Marks N.W.R., and a Sabine's Gull, the first Florida report in summer, at Jacksonville.

SPECIES ACCOUNTS

COMMON LOON: 1 in breeding plumage at Lake Jackson (*Leon*) 2 Jun was presumably a late migrant stopping inland (G. Menk); 1 in partial breeding plumage near Cortez (*Manatee*) 3 Jun (A. Schnapf); 1 in winter plumage S. of Melbourne Beach (*Brevard*) 10 Jun (M. S. Belson) seems to be the first summer report for the county (S&A 1994:18); 1 in winter plumage summered at Bayport (*Hernando*), observed 18 May, 18 Jun, and 23 Jul (C. Black).

HORNED GREBE: 1 in breeding plumage at the Palm Harbor S.T.F. (*Pinellas*) 15 Jul (R. Smith, P. Blair) and 22 Jul (K. Nelson) were the first summer reports for the county (S&A 1994:21).

PELAGICS: the listing below is the results of 3 Jul pelagic trips in the Keys (*Monroe*) by E. and P. Hess. 2 Jul: 40-48 km S.S.E. of Plantation Key, winds S.W. 0-8 kph, 8 hours; 3 Jul: 19-27 km S.S.E. of Plantation Key, winds S.W. 4-8 kph, 4 hours; 7 Jul: 24-28 km S. of Marathon, winds E.N.E. 8-16 kph, 6 hours. An asterisk (*) denotes the first summer reports for the county (S&A 1994:27, 267).

Species	2 Jul	3 Jul	7 Jul
Cory's Shearwater*	3	2	
Greater Shearwater	3		
Sooty Shearwater	1		
Audubon's Shearwater	15	5	1
Wilson's Storm-Petrel	1		1
Band-rumped Storm-Petrel	2		
Parasitic Jaeger (dark-morph adult)*	1		
Royal Tern			3
Bridled Tern	3	2	18
Sooty Tern	55	12	32

AMERICAN WHITE PELICAN: 25 at Ft. George Island, N. Jacksonville (*Duval*) 15 Jun through Jul (R. Clark); 25 at St. Marks N.W.R. (*Wakulla*) 25 Jul (R. Will).

BROWN PELICAN: 50 pairs nesting at St. Marks N.W.R. 10 Jul (J. Reinman) was the first breeding report in *Wakulla* (S&A 1994:43); this year the statewide breeding census totalled 10,277 breeding pairs at 39 colonies (S. Nesbitt).

ANHINGA: 661 at E.M.C.A. 29 Jul (J. Marburger et al.) was one of the highest recent counts (S&A 1994:48).

MAGNIFICENT FRIGATEBIRD: 100s along the *Pasco* coast 5 Jun, following the passage of Hurricane *Allison* (D. Robinson, K. Farris, M. Balfour, K. Forrest) was the largest report in the county by far (B. Pranty); 84 over Lake Maggiore, St. Petersburg (*Pinellas*) 9 Jul were not related to any weather system (D. Goodwin).

"GREAT WHITE HERON:" 1 at Buck Island Ranch 13 and 20 Jul (M. McMillian) was a rarity in *Highlands*.

REDDISH EGRET: ca. 80 pairs nesting in the Tampa Bay region (*Pinellas*, *Hillsborough*, *Manatee*, and *Sarasota*) from Clearwater to Sarasota, with 60 nests at Alafia Bank (R. Paul, A. Schnapf); 74 fledglings from ca. 50 nests at Merritt Island N.W.R. (*Brevard*) 22 Jun was called an "astounding" number (R. Paul, A. Schnapf, R. Hight).

- WHITE IBIS: 2 successful nests at Marco Island (*Collier*) in Jul were the first coastal breeding attempts for the area (T. Below); 9000 nesting pairs at Alafia Bank (*Hillsborough*) was the highest count there since 1982 (R. Paul, A. Schnapf).
- GLOSSY IBIS: 964 counted at a dusk roost at Marco Island in Jul is a large increase over typical numbers (T. Below); 163 at E.M.C.A. 29 Jul (J. Marburger et al.).
- ROSEATE SPOONBILL: 275 young fledged from 140 nests at Alafia Bank (R. Paul, A. Schnapf); 25 fledglings at Merritt Island N.W.R. 22 Jun (R. Paul, A. Schnapf, R. Hight); 1 W. of A.B.S. 19 Jun (B. Pranty, G. Woolfenden) and 3 there 26 Jun (B. Pranty); 12 at E.M.C.A. 24 Jun (J. Marburger) and 7 there 29 Jul (J. Marburger et al.).
- WHITE SPOONBILL: 1 present at McKay Bay (*Hillsborough*) 9 Jul (M. Lopez) may have attempted nesting at the Roseate Spoonbill rookery at Alafia Bank earlier in the season (A. Schnapf).
- WOOD STORK: the colony at Corkscrew Swamp Sanctuary (*Collier*) began nesting very late this year and totalled 913 nests in late Mar. By the end of Jul, only 200 young were predicted to fledge. Nesting failure was blamed on excessive rainfall in Jun and Jul (T. Below); the statewide breeding census totalled 5523 nesting pairs at 33 colonies, 4 in S. Florida, 22 in central Florida, and 6 in N. Florida (J. Rodgers).
- GREATER FLAMINGO: 1 or more singles along the *Franklin* and *Wakulla* coasts were probably West Indian birds displaced by Hurricane *Allison*: 1 at Dog Island (*Franklin*) 5 Jun (D. Evered); 1 at Florida State University Marine Lab (*Franklin*) 6 Jun (M. Kennison); 1 at the lighthouse at St. Marks N.W.R. 10 Jun (A. Whitaker); 1 at Lanark (*Franklin*) 21 Jun (photo in *Tallahassee Democrat*, 22 Jun) and 22 Jun (J. Cavanagh, D. Evered); 1 at Walker Creek (*Wakulla*) 16 Jul (J. Leppert).
- FULVOUS WHISTLING-DUCK: 8 at E.M.C.A. 24 Jun (J. Marburger et al.); 175 (including young) at Zellwood (*Orange*) late Jul (R. Smith, P. Blair, S. Backes).
- BLACK-BELLIED WHISTLING-DUCK: an unspecified number near Fellsmere 12 Jun (R. Brust, *vide* H. Kale) was the first summer report for *Indian River* (S&A 1994:96); 1 at Occidental W.M.A. (*Hamilton*) 22 Jul (T. Kalbach); 2 at E.M.C.A. 29 Jul (J. Marburger et al.).
- BLUE-WINGED TEAL: 4 at McKay Bay impoundments, Tampa (*Hillsborough*) 9 Jun (P. Blair, A. G. and R. Smith) were the latest "spring" report (S&A 1994:116); 1 at Lake Jackson 22 Jul (G. Menk).
- RING-NECKED DUCK: 1 at Lake Jackson 22 Jul (G. Menk).
- LESSER SCAUP: 1 remained at Tram Road S.T.F. (*Leon*) until 3 Jul (J. Cavanagh); 1 at Lake Jackson 15 Jul (G. Menk); 1 summered at the Palm Harbor S.T.F. (P. Blair, A. G. and R. Smith).
- RED-BREASTED MERGANSER: 1 near the St. Johns River mouth (*Duval*) 25 Jun (R. Clark).
- RUDDY DUCK: 3 males and 1 female at Occidental W.M.A. 31 Jul (R. Rowan, R. Clark, M. Manetz).
- OSPREY: along a 47 km stretch of *Collier* coast (from Naples to Indian Key), nesting productivity has been monitored annually for the past 12 years. Active nests have increased from 17 in 1984 to 31 this year. Fledgling production has remained fairly stable at 0.95 birds per active nest (T. Below); 107 active nests around Lake Istokpoga (*Highlands*) this year is believed to be the greatest density of Ospreys in the state (M. McMillian).
- AMERICAN SWALLOW-TAILED KITE: 1 at Havana 29 Jul (B. Stoutamire) was the first summer report for *Gadsden* (S&A 1994:147).
- MISSISSIPPI KITE: 2 adults over riparian forest in S. Jacksonville (*Duval*) May-4 Jul probably attempted to nest. This is the same area where 1 adult was seen for a week in Aug 1994 (P. Powell et al.).

- BALD EAGLE: this winter the statewide census located 831 active nests that produced 982 young (1.58 young/successful nest), the most since surveys began in 1973 (S. Nesbitt).
- SNAIL KITE: 1 near Daytona Beach (*Volusia*) 6 Jun (B. Richter).
- BROAD-WINGED HAWK: 1 over Boyd Hill Nature Park, St. Petersburg 25 Jul (D. Goodwin) was the first summer report for the county (S&A 1994:166).
- SHORT-TAILED HAWK: 8 reports of a dark morph at A.B.S. 23 May-6 Jul (B. Pranty, M. McMillian, F. Davis et al.) and a light morph there 24 Jul (K. Dayer) suggest local breeding, which has never been confirmed in the area.
- CRESTED CARACARA: 2 at Tosohatchee State Reserve (*Orange*) 27 Jun (K. Fisher), where 1 was reported in spring.
- PEREGRINE FALCON: 1 at Placid Lakes Estates (*Highlands*) 14 Jul (A. Fleischer) and 15 Jul (R. Bowman) were rare summer reports for Florida (S&A 1994:180).
- BLACK RAIL: 1 calling at mid-day 24 Jun for "almost an hour non-stop," and at 0900, 25 Jun at Mounds Pool, St. Marks N.W.R. (A. G. and R. Smith); 3 at Occidental W.M.A. 29-31 Jul (M. Dolan et al.) suggested inland breeding, as yet undocumented in the state. Additional notes were supplied for the Occidental birds: "I went over . . . and heard the Black Rails. It was really incredible; at 4:45 PM under a boiling hot sun we suddenly heard 'kicky-doo, kicky-doo!' It wasn't even good habitat for them, fairly high vegetation like cattails and very thick. I played a tape *once* and I thought the rail was going to come out and attack." (P. Powell).
- LIMPKIN: 1 E. of Niceville along Rocky Creek (*Okalosa* and *Walton*) 25 Jun (D. Printiss, T. Holmes) appears to be the westernmost report in the state (S&A 1994:203, Duncan 1991. *The Birds of Escambia, Santa Rosa, and Okaloosa counties, Florida*).
- BLACK-BELLIED PLOVER: 40 on Shell Key (*Pinellas*) 8 Jun (P. Blair).
- SNOWY PLOVER: A lack of nesting activity in the Marco Island area this year was attributed to a beach renourishment project that caused nesting sites on sand bars to wash away, and from pressure from people and dogs on the beach (T. Below).
- SEMPALMATED PLOVER: 7 on Shell Key 17 Jun (P. Blair et al.).
- PIPING PLOVER: 1 at Honeymoon Island S.R.A. (*Pinellas*) 15 Jul (P. Blair, R. Smith).
- AMERICAN AVOCET: 2 in breeding plumage in N. Jacksonville 30 Jun had increased to 15 by the end of Jul (R. Clark); 4 in breeding plumage at Black Point Wildlife Drive, Merritt Island N.W.R. (*Brevard*) 9 Jul (B. Siccolo); 1 at Occidental W.M.A. 31 Jul (R. Rowan, R. Clark, M. Manetz); 1 at Port St. Joe (*Gulf*) 23 Jul (R. Smith) was the first summer report for the county (S&A 1994:224).
- GREATER YELLOWLEGS: 1 on Shell Key 8 Jun (P. Blair).
- WILLET: 180 at Shell Key 7 Jul were thought to be migrants (P. Blair).
- WHIMBREL: 1 at Archie Carr N.W.R. (*Brevard*) 19 Jul (M. S. Belson).
- LONG-BILLED CURLEW: 1 at Alafia Bank 2 Jul (A. Schnapf).
- MARBLED GODWIT: 24 at Alafia Bank 2 Jul (A. Schnapf); 110 at Honeymoon Island S.R.A. 7 Jul (K. Nelson); 1 at Carrabelle Beach (*Franklin*) 8 Jul (G. Sprandel).
- SEMPALMATED SANDPIPER: 7 at Shell Key 17 Jun (P. Blair et al.).
- PECTORAL SANDPIPER: 1 at Fort DeSoto C.P. (*Pinellas*) 28 Jul (R. Smith).
- *CURLEW SANDPIPER: 1 in winter plumage at Fort Myers Beach (*Lee*) 25 Jun (K. McGowan, details to F.O.S.R.C.).
- STILT SANDPIPER: 51 at N. Jacksonville 22 Jul (R. Clark).
- SHORT-BILLED DOWITCHER: 120 at MacDill Air Force Base, Tampa 26 Jul (M. Wilkinson).
- WILSON'S PHALAROPE: 5 at Occidental W.M.A. 31 Jul (R. Rowan, R. Clark, M. Manetz, M. Dolan).
- *LONG-TAILED JAEGER: 1 off the lighthouse at St. Marks N.W.R. 5 Jun (D. Evered).
- LAUGHING GULL: 6500 pairs nested at Shell Key this season (P. Blair).
- BONAPARTE'S GULL: 2 in winter plumage at the Palm Harbor S.T.F. 9 Jun (P. Blair, R. Smith) was the first summer report for the county (S&A 1994:275).

- GREAT BLACK-BACKED GULL: 1 adult at Shell Key 23 Jul (B. Isaacson) and 25 Jul (P. Blair) were rare Gulf coast summering reports.
- *SABINE'S GULL: 1 immature at Huguenot Park, Jacksonville 10-12 Jun (R. Clark) was the first summer report for Florida (S&A 1994:287).
- GULL-BILLED TERN: 1 at Zellwood 27 Jul (S. Backes, R. Webb).
- CASPIAN TERN: 84 nests at Alafia Bank 16 May was the highest breeding total in the state (R. Paul).
- ROYAL TERN: 92 pairs nesting at Alafia Bank 16 May and 2544 pairs at Passage Key N.W.R. (*Manatee*) 17 May (both R. Paul, A. Schnapf); ca. 1000 pairs with chicks at Bird Island, Merritt Island N.W.R. (*Volusia*) 22 Jun (R. Paul, A. Schnapf, R. Hight).
- SANDWICH TERN: 424 nesting pairs (70 at Alafia Bank 16 May and 354 at Passage Key 17 May) was the highest breeding number this century (R. Paul, A. Schnapf).
- ROSEATE TERN: 300 pairs nesting at Boca Chica Shoal (*Monroe*) in Jul (M. Robson *vide* H. Smith).
- COMMON TERN: 125 (mostly juveniles) at Honeymoon Island S.R.A. 15 Jul (R. Smith, P. Blair) were early migrants.
- LEAST TERN: A lack of successful breeding in the Marco Island area this season was due mostly to disturbance of beaches and a loss of sand bars used as nesting sites. One colony of 228 nests on an outer bar washed completely away. The presence of less than 100 fledglings in the area is probably due to roof-nesting attempts, and is "a far cry" from the 500-1000 fledglings that were typical from the area in the past (T. Below); only ca. 45 nests this year in *Nassau* and *Duval* and 0 nests in *St. Johns* (P. Powell).
- BLACK TERN: 2 at Occidental W.M.A. 10 Jun (R. Clark); 1 immature at McKay Bay 18 Jun (R. Smith); 2 at Lake Munson (*Leon*) 26 Jul (G. Menk); 6 at Merritt Island N.W.R. 9 Jul (B. Siccolo).
- EURASIAN COLLARED-DOVE: 1 calling W. of Tallahassee 19-27 Jul was the first report for *Leon* (G. Menk, R. West).
- RINGED TURTLE-DOVE: 1 with Eurasian Collared-Doves at Pine Island (*Hernando*) 18 Jun (D. Robinson).
- ROSE-RINGED PARAKEET: of 6 just W. of the jct. of U.S. 41 and S.R. 31 in Naples (*Collier*) 11 Jun, 1 female "appeared to be competing" with a pair of Red-bellied Woodpeckers for a cavity in a dead palm (R. J. Gutiérrez).
- MITRED PARAKEET: 2 at Key West (*Monroe*) 9 Jun (R. J. Gutiérrez) is the first published report for the island (S&A 1994:342-343).
- RED-CROWNED PARROT: an unspecified number at Key West 11 Jun (R. J. Gutiérrez) is the first published report from there (S&A 1994:347-348).
- WHIP-POOR-WILL: 1 male (large white tail patches observed clearly) at A.B.S. 11 Jul (K. Tarvin) and 1 male that sang at Rock Springs Run State Reserve (*Orange*) until 18 Jul (B. Manuel, P. Small et al., audiotape to F.O.S.R.C., note to *FFN.*) were only the second and third summer reports in Florida, all from mid-Jul. The first report was of a specimen collected at E.N.P. 11 Jul 1966 (S&A 1994:378).
- RUBY-THROATED HUMMINGBIRD: 1 female at Tiger Creek Sanctuary 16 Jun-21 Jul was the third summer report for *Polk* (P. Fellers); 2 presumed migrants at separate St. Petersburg locations 25 Jul (A. D. and R. Smith, M. Wilkinson).
- BELTED KINGFISHER: 1 just N. of A.B.S. 8 Jul (A. Fleischer, L. Walton).
- *WESTERN WOOD-PEWEE (*Contopus sordidulus*): 1 that called 100s of times W. of A.B.S. 19 Jun (G. Woolfenden, B. Pranty, J. Fitzpatrick, and 6 others, recorded by J. Fitzpatrick and B. Nelson, photographed by R. Bowman, accepted by F.O.S.R.C., note to *FFN.*) represented the first verifiable record in Florida. The bird was found ca. 0720 and was last seen at 1010. The bird's occurrence may have been related to Hurricane *Allison*.
- ACADIAN FLYCATCHER: 1 at Little-Big Econ State Forest (*Seminole*) 3 Jun (L. Malo) was near the species' southern breeding limit.

- PURPLE MARTIN: 1 male at Key West 28 Jun was a fall migrant "on time" (J. Ondrejko).
- CLIFF SWALLOW: 1 (pale forehead noted) at St. Marks N.W.R. 29 Jul (G. Menk, D. Harder) was early (S&A 1994:451).
- FLORIDA SCRUB JAY: fledging success in the Wekiva River basin (*Lake, Orange, and Seminole*) was poor this year - only 4 of 25 groups were observed with juveniles (P. Small).
- HILL MYNA: at least 1 pair nesting along the Indian River at Stuart (*Martin*) in Jul (P. Hess), where birds have been present for 4 years (E. Hess). These are the first published reports for the county (S&A 1994:524).
- COMMON MYNA: 1 pair nesting in a sign at the McDonald's restaurant in Clewiston (*Hendry*) 19 Jun (P.W. and S. Smith). According to W. Biggs (pers. comm.), the birds have been present in Clewiston since the late 1980s.
- RED-EYED VIREO: 1 along U.S. 27 (*Highlands*) 23 Jul (A. Fleischer, L. Walton) was early.
- PRAIRIE WARBLER: 2 at A.B.S. 11 Jul (F. Davis) and 1 at A.P.A.F.R. (*Polk*) 11 Jul (D. Leonard) were the first migrants reported.
- BLACK-AND-WHITE WARBLER: 1 at Dunedin Hammock Park (*Pinellas*) 15 Jul (P. Blair, R. Smith) was the first migrant reported.
- AMERICAN REDSTART: 1 at Black Swamp (*Leon*) 19 Jul (G. Menk); 2 (1 male singing) in Bonner Park, Largo (*Pinellas*) 22 Jul (K. Nelson).
- PROTHONOTARY WARBLER: 1 migrant at Bonner Park 20 Jul (K. Nelson).
- SWAINSON'S WARBLER: nest-building observed at Steinhatchee Springs W.M.A. (*Lafayette*) 7 Jun (J. Krummrich) and 4 males singing there 14 Jun (B. Muschlitz). Birds have been reported here for the past 3 summers.
- NORTHERN WATERTHRUSH: 1 at Tampa 17 Jul (S. Conklin) was one of Florida's earliest fall reports (S&A 1994:586).
- LOUISIANA WATERTHRUSH: 1 at Bonner Park 6 Jul (K. Nelson).
- BLUE GROSBEAK: 3 males singing at Brooker Creek Preserve (*Pinellas*) through the season were probably breeding (R. Smith, P. Blair).
- BOAT-TAILED GRACKLE: 6 N. of Lake Miccosukee (*Jefferson*) 8 Jun (G. Menk, R. West).
- SHINY COWBIRD: 1 male and 1 female at Fort George Island 28-31 Jul (R. Clark).
- ORCHARD ORIOLE: 1 at E.M.C.A. 29 Jul (J. Marburger et al.) may have been a migrant.
- HOUSE FINCH: 1 male and 1 female at a Jacksonville feeder 20-26 Jun and 2 juveniles there in Jul (D. Kamps) represents the first breeding report for N.E. Florida.

CONTRIBUTORS: Steve Backes, Margaret Balfour, Ted Below, M. Shane Belson, Wes Biggs, Clay Black, Paul Blair, Reed Bowman, Rick Brust, Jim Cavanagh, Roger Clark, Sean Conklin, Fritz Davis, Mark Dolan, Duncan Evered, Kitty Farris, Paul Fellers, Keith Fisher, John Fitzpatrick, Artie Fleischer, Ken Forrest, Dave Goodwin, Jeff Gore, R. J. Gutiérrez, David Harder, Eric Hess, Paul Hess, Ron Hight, Michael Hill, T. Holmes, Barbara Isaacson, Tim Kalbach, Herb Kale, Dina Kamps, Jerry Krummrich, Dave Leonard, Manny Lopez, Lorne Malo, Mike Manetz, Brian Manuel, Joy Marburger, Kevin McGowan, Mike McMillian, Gail Menk, Barbara Muschlitz, Brian Nelson, Steve Nesbitt, Kris Nelson, Joe Ondrejko, Rich Paul, Peggy Powell, Bill Pranty, David Printiss, Bob Richter, Joe Reinman, Don Robinson, Mark Robson, Jim Rodgers, Rex Rowan, Ann Schnapf, Bob Siccolo, Parks Small, Andrea D. Smith, Austin G. Smith, Hank Smith, P. William Smith, Ron Smith, Susan Smith, Gary Sprandel, Betsy Stoutamire, Keith Tarvin, Lee Walton, Ray Webb, Rick West, Aide Whitaker, Robin Will, Margie Wilkinson, and Glen Woolfenden.

Corrections to the Fall 1994 report (*Fla. Field Nat.* 23(2):44-56): in Bald Eagle, Hugh Taylor Birch S.A. should be S.R.A.; the date for the 25+ Red-eyed Vireos at St. George Island should be 20 Sep; the location for the 19 Tennessee Warblers and 18 Blackburnian Warblers on 29 Sep should be Sawgrass Lake C.P. not Fort DeSoto C.P.; the number of

Canada Warblers at John Chestnut C.P. 5 Sep should be 1; the observer of the Painted Bunting at Newnan's Lake is Linda Fitzgerald, not Fitzgerlad; and the date for the 3 Bobolinks at Guana River S.P. is 24 Aug.

Correction to the Winter 1994-1995 report (*Fla. Field Nat.* 23(3):77-86): in White-tailed Kite, Victoria Dreitz was misspelled as "Dreiks."

Additions to Spring 1995 report (all in *Collier* by John Arnett): Roseate Spoonbill: 4 W. of Fakahatchee Strand State Preserve 8 May; Black Rail: 1 calling on C.R. 839 S. of I-75 at 1330 on 26 Apr; Yellow-billed Cuckoo: 1 calling in Big Cypress National Preserve 31 Mar; Blue-winged Warbler: 1 singing W. of Fakahatchee Strand State Preserve 8 May; White-winged Dove: 1 at a feeder at Eastpoint (*Franklin*) 25 May (Rick West); Red-cockaded Woodpecker: 1 ca. 5.6 km N. of Eastpoint (*Franklin*) 26 May was ca. 16 km S.E. of known clans in Apalachicola National Forest (R. West).

Report prepared by **Bill Pranty**, state compiler (Archbold Biological Station, P. O. Box 2057, Lake Placid, Florida 33862-2057). Other committee members are **Linda Cooper** (115 Lameraux Road, Winter Haven, Florida 33884), **Jim Cox** (Florida Game and Fresh Water Fish Commission, 620 S. Meridian Street, Tallahassee, Florida 32399-1600), and **Peggy Powell** (2965 Forest Circle, Jacksonville, Florida 32257).